ARCHIVES OF

DERMATOLOGY

VOLUME 83

JANUARY THROUGH JUNE, 1961

AMERICAN MEDICAL ASSOCIATION Publication

AUTHOR AND TITLE INDEX TO VOLUME 83

In this Index in alphabetical order are the names of the authors of all articles and the presenters of cases in Society Transactions, followed by the title of the article or case presented and the page numbers on which their articles or cases begin. The asterisk (*) preceding the page number indicates an original article, case report, review article, special article, or scientific exhibit. Page numbers in the Index refer to bold face (dark) numbers in the text.

For Subject Index see page [257-**1081**].

A

Abele, D. C., and Dobson, R. L.: Hyperkeratosis penetrans (Kyrle's disease): report of case in Negro with autopsy findings, *277

Adler, F.: See Zakon, S. J., jt. auth.

Alpert, M.: See Curth, H. O., jt. auth.

Asboe-Hansen, G.: Urticaria pigmentosa and generalized mastocytosis: polymyxin B treatment, *893

Auerbach, R., and Lorincz, A. L.: Dermatomyosis, 167

Ayres, S., Jr., and Ayres, S., III: Demodectic eruptions (demodicidosis) in human: 30 years' experience with 2 commonly unrecognized entities: pityriasis folliculorum (Demodex) and acne rosacea (Demodex type), *816

Ayres, S., III: See Ayres, S., Jr., jt. auth.

B

Bachman, D. M.: Quantitating skin mobility in scleroderma, *598

Baer, R. L.: See Harber, L. C., jt. auth.
and Harber, L. C.: Photosensitivity to drugs: studies in man and guinea pigs, *7

Bailey, W.: See Griffith, P., jt. auth.

Baldes, E. J.: See Lipson, R. L., jt. auth.

Barker, L. P.: Acrosclerosis, lupus erythematosus disseminata?, 877
Adenocarcinoma, metastatic, 345

Barsky, S., and Bernstein, R.: Eczema vaccinatum, 171
and Gigli, I.: Alopecia areata in twins, 170

Baute, P. B.: See Nicholas, L. jt. auth.

Beck, A. L., Jr.; Kipping, H. L., and Crissey, J. T.: Subcorneal pustular dermatosis: report of case, *627

Becker, S. W.: See Reed, W. B., jt. auth.
and Brennan, B. B.: Benign and malignant cutaneous tumors in elderly, *262

Beerman, H., and Corbett, M. B.: Scleroderma, 348
and Rider, H. E.: Hereditary hemorrhagic telangiectasia: 2 cases, 347

Bennett, J. H.: See Rees, R. B., jt. auth.

Bereston, E. S.: Chronic exfoliative dermatitis vs. congenital ichthyosiform erythroderma, 668
Scleroderma en coup-de-sabre, 676
and Roberts, D.: Parkes Weber syndrome: hypertrophic hemangiectasia, 675
and Robinson, R. C. V.: Herpes zoster and varicella in identical twins, 503

Berger, R.: See Orentreich, N., jt. auth.
Alopecia areata of eyebrows—corticosteroids, 151

Bernstein, R.: See Barsky, S., jt. auth.
See Bluefarb, S. M., jt. auth.

Bernstein, S. I.: See Pascher, F., jt. auth.

Bett, D. C. G.: See Wilson, H. T. H., jt. auth.

Bielinski, S.: See Falk, A. B., jt. auth.

Birmingham, D. J.; Key, M. M.; Tubich, G. E., and Perone, V. B.: Phototoxic bullae among celery harvesters, *73

Blackburn, E. K.: See Marten, M. A., jt. auth.

Blank, F.; Leclerc, G., and Telner, P.: Clinical manifestations of mouse favus in man, *587

Blau, S.: See Kanof, N. B., jt. auth.

Bluefarb, S. M.: See Szymanski, F. J., jt. auth.
Wallk, S., and Bernstein, R.: Actinomycosis, 170
Wallk, S., and Gigli, I.: Dermatomyositis (remission following surgery for carcinoma of uterus), 168
Wallk, S., and Kroll, C. L.: Bullous lupus erythematosus, 1040

Blumenthal, H.: Malignant vasculitis (dermatitis nodularis necrotica), 699

Bogdonoff, D.: See Rostenberg, A., Jr., jt. auth.

Booth, B. H.: See **Dalton, J. E.,** jt. auth.

Brennan, B. B.: See **Becker, S. W.,** jt. auth.

Brannen, M.; Nixon, R. K.; Doucette, J. W., and Fosnaugh, R. P.: "Petechial" angiomata, *386

Brodie, S. J.: See **Popkin, G. L.,** jt. auth.

Brubaker, M. M.: Lymphangioma of tongue, 337

Buchanan, R. N., Jr.: A clinical study of malignant melanoma, *447

Buckley, W. R., and Grum, F.: Reflection spectrophotometry: use in evaluation of skin pigmentary disturbances, *249

Bundick, W. R.: See **Ellis, F. A.,** jt. auth.

Burnham, T. K., and Fosnaugh, R. P.: Porphyria, diabetes, and their relationship: case report, *717

Burns, R. E.: See **Hitselberger, J. F.,** jt. auth.
See **McCluer, C. F. A., Jr.,** jt. auth.

Burstein, H. J.: Generalized granuloma annulare, 325

Butler, J. D.: See **Mehregan, A. H.,** jt. auth.

C

Cahn, M. M.: See **Shaffer, B.,** jt. auth.

Canizares, O.: Erythema multiforme confined to mucous membranes, 879
Light-sensitivity eruption? lupus erythematosus in fixture destroyed type. lymphocytic infiltration of skin, 878

Catinella, P.: Scleroderma, 517

Cawley, E. P.: See **Weary, P. E.,** jt. auth.
and Hoch-Ligeti, C.: Association of tissue mast cells and skin tumors, *92

Chick, E. W.: Acridine orange fluorescent stain for fungi, *305

Cipollaro, A. C.: Sarcoidosis, 346

Coffey, C. M.: See **Everett, M. A.,** jt. auth.
Everett, M. A., and Kay, F. R.: Amphotericin B in disseminated cutaneous candidiasis, 1014

Cohen, S.: Skin-brain barrier, *768

Colburn, H. L.: See **Luscombe, H. A.,** jt. auth.

Coomber, R. B., and Shasky, D.: Poikiloderma atrophicans vasculare (Jacobi), 706

Coon, W. M.; Herrmann, F., and Mandol, L.: Acid number of skin surface lipids in psoriasis: for unaffected, stripped and unstripped areas—treatment response, *619

Cormia, F. E.: Chronic infectious granuloma (tuberculosis?) 343
Granuloma inguinale, 871
Subcorneal pustular dermatosis, 869

Cornbleet, T.: Long-term therapy of acne with tetracycline, *414
and Gigli, I.: Should we limit sugar in acne?, *968

Corson, E. F.: Final note about "long hair", 852

Corson, J. K.: Polyarteritis nodosa, 351
Tertiary syphilis—gummata, 353

Costello, M. J.: Keratosis follicularis unilateral type, nevoid distribution, 876
Light-sensitive eruption due to diruil vs. systemic lupus erythematosus, 875
Vasculitis, 876

Crissey, J. T.: See **Beck, A. L., Jr.,** jt. auth.
and Peachey, J. C.: Calcaneal petechiae, 501

Crockett, W.: See **Everett, M. A.,** jt. auth.

Crone, P. J.: See **Walker, A. E.,** jt. auth.

Curth, H. O.; Firschein, I. L., and Alpert, M.: Familial clubbed fingers, *828

D

Dalton, J. E.; Booth, B. H.; Gray, H. R., and Evans, P. V.: Lichen myxedematosus (papular mucinosis): further studies, *230

Darnall, T. W.: See **Mopper, C.,** jt. auth.

Demis, D. J.; Walton, M. D., and Higdon, R. S.: Histaminuria in urticaria pigmentosa: clinical study and review of recent literature with definition of mastocytosis syndrome, *127

Desjardins, A. U.: Is the pathologist infallible? (editorial), 310; Wartman, W. B.: reply to Dr. Desjardins, 317

Dickison, G.: See **Rian, O.,** jt. auth.

Dobes, W. L.: New "inject-tainer", 847

Dobson, R. L.: See **Abele, D. C.,** jt. auth.

Doeglas, H. M. G.; Hermans, E. H., and Huisman, J.: Margarine disease, *837

Doucette, J. W.: See **Brannen, M.,** jt. auth.

E

Ellis, F. A.: Vesicular malignant dyskeratosis, *790
and Bundick, W. R.: Chronic folliculitis and ulerythema ophryogenes?, 667

English, R.: See **Hurley, H. J.,** jt. auth.

Erickson, J. G.: Linear scleroderma, 864

Evans, P. V.: See Dalton, J. E., jt. auth.

Everett, M. A.: See Coffey, C. M., jt. auth.
See Lamb, J. H., jt. auth.
and Coffey, C. M.: Intradermal administration of chloroquine for discoid lupus erythematosus and lichen sclerosus et atrophicus, *977
Crockett, W.; Lamb, J. H., and Minor, D.: Light-sensitive eruptions in American Indians, *243

F

Falk, A. B., and Kamaya, T.: Reiter's disease, 1039
Bielinski, S., and Fox, J.: Pityriasis lichenoides et varioliformis acuta in 13-year-old boy, 1035
Bielinski, S., and Kroll, C. L.: Hypertrophic stasis dermatitis, 169

Feldman, F. F., and Lerner, A. G.: Bullous lichen sclerosus et atrophicus, 705

Fields, H. P.: See Hearin, J. T., jt. auth.

Firschein, I. L.: See Curth, H. O., jt. auth.

Fisher, A. A.: Diagnosis: congenital agammaglobulinemia in brothers; follow-up report, 696
Distinctive, destructive, digital disease, 1030
Lupus erythematosus (histologically read as lichen planus), 1026

Fitzpatrick, T. B.: Albright's syndrome, 517
Basal-cell epithelioma with trichoepithelioma, 512
Pseudoxanthoma elasticum, 515
Strawberry hemangioma of eyelid and periorbital skin, 513
Urticaria pigmentosa with small-bowel involvement, 515

Fleisher, L.: See Zeligman, I., jt. auth.

Florence, R.: See Shelley, W. B., jt. auth.

Foraker, A. G.: "pH signature" of skin carcinoma: an application of the "pH signature" technique to sections of skin of basal- and squamous-cell carcinoma, *392

Forbis, R., Jr., and Helwig, E. B.: Philomatrixoma (calcifying epithelioma), *606

Formisano, V.: See Hambrick, G. W., Jr., jt. auth.

Forsey, R. R., and Sullivan, T. J.: Stomatitis nicotina, *945

Fosnaugh, R. P.: See Brannen, M., jt. auth.
See Burnham, T. K., jt. auth.
See Hu, F., jt. auth.

Foster, P. D., and Zimmerman, M. C.: Lichen myxedematosis (papular mucinosis), 338

Fox, J.: See Falk, A. B., jt. auth.

Fox, J. M.; Kennedy, R., and Rostenberg, A., Jr.: Eczematous contact-sensitivity to gold, *956

Frank, A. G.: See Pollack, J. H., jt. auth.
and Weidman, A. I.: 1. Urticaria pigmentosa (associated with diffuse bone lesions). 2. granuloma annulare (treated with intralesional injections of triamcinolone, 1030

Funt, T. R.: Cantharidin treatment of molluscum contagiosum, 504

G

Gaethe, G.: Skin cancer: technique for improved cosmetic end-result in radiation therapy for skin cancer, 1002

Ganor, S., and Tas, J.: Sensitivity of coagulase-positive staphylococci: study in various forms of pyoderma, *995

Gaul, L. E.: Fixed drug eruption from chlordiazepoxide, 1010

Geha, B. J.: See Sauer, G. C., jt. auth.

Gelfarb, M.: Incontinentia pigmenti, 866

Gerad, A. G.: Psoriasis treated with triamcinolone injections: eighteen month follow-up study, 502

German, J. E.: Progressive idiopathic atrophoderma of Pasini and Pierini, 1061

Gethner, P. J.: Case for diagnosis. linear psoriasis? 341

Gigli, I.: See Barsky, S., jt. auth.
See Bluefarb, S. M., jt. auth.
See Cornbleet, T., jt. auth.

Glyn-Hughs, F.: See Readett, M. D., jt. auth.

Goldblatt, S.: Severe reaction to griseofulvin: sensitivity investigation, *936

Goldman, L.; Richfield, D. F.; Loutzenhiser, and Haniszko, G.: Features uncommon to xeroderma pigmentosum, *272

Goeller, J. P.: See Popkin, G. L., jt. auth.

Goltz, R. W., and Good, R. A.: Benign hyperglobulinemic purpura: relation to Mikulicz's disease, sicca syndrome, and epidermolysis bullosa dystrophica, *26

Gombiner, A., and Malkinson, F. D.: Triamcinolone suspension in alopecia areata, 1004

Good, R. A.: See Goltz, R. W., jt. auth.

Goodman, J., and Tilley, R. F.: Melanoma, 513

Goodman, R. S.: See Lorincz, A. L., jt. auth.

Gordon, B.: Erythroplasia of Queyrat with malignant change, 866
and Hyman, A. B.: Multiple nontender glomus tumors: report of case with 33 lesions, *640

Graham, J. H., and Helwig, E. B.: Bowen's disease and its relationship to systemic cancer, *738

Graur, F. H., and Hennessy, W. J.: Recurrent carbuncles, 1063

Gray, H. R.: See Dalton, J. E., jt. auth.
Greenberg, B. G.: See Welton, D G.: jt. auth.

Grekin, R. H.: Morphea, 328
Morphea: extensive involvement, 328
Scleredema adultorum, 328

Griesemer, R. D.: Urticaria pigmentosa, 515

Griffith, P., and Bailey, W.: Psoriasis, 1043

Grimmett, R. H.: Liquid nitrogen therapy: histologic observations, *563

Gross, B.: 1. Ocular pemphigus. 2. Aphthous stomatitis. 3. Granuloma around umbilicus, 349

Grots, I .A.; Mescon, G., and Strauss, J. S.: Necrobiosis lipoidica diabeticorum of the abdomen, 505

Grum, F.: See Buckley, W. R., jt. auth.

H

Haan, R.: See Newcomer, V. D., jt. auth.

Hackbarth, D. E., and Markson, L. S.: Diphemanil methylsulfate in hyperhidrosis, 659

Hailey, C. W.: See Loria, P. R., jt. auth.

Halprin, K. M.: Studies of granuloma faciale, 1011

Hambrick, G. W., Jr., and Formisano, V.: Case for diagnosis (acrodermatitis enteropathica?), 1057
Lehman, J. M., and Shehadeh, M.: Case for diagnosis (pityriasis lichenoides chronica of Juliusberg) (lichen planus), 1057

Haniszko, G.: See Goldman, L., jt. auth.

Harber, L. C.: See Baer, R. L., jt. auth.
See Orentreich, N., jt. auth.
Hyman, A. B.; Morrill, S. D., and Baer, R. L.: Urticaria pigmentosa, effects of reserpine, *199

Harmon, L. B.: See Robinson, H. M., Jr., jt. auth.

Harmon, L. E.: Sarcoidosis, 678

Hearin, J. T., and Fields, H. P.: Mycosis fungoides, 1052
and Reifel, D. C.: Case for diagnosis: chronic dermatitis and infection involving extremities and abdominal wall, 1054

Heiskell, C. L.: See Reed, W. B., jt. auth.

Helwig, E. B.: See Graham, J. H., jt. auth.
See Forbis, R., Jr., jt. auth.

Hennessy, W. J.: See Graur, F. H., jt. auth.

Hermans, E. H.: See Doeglas, H. M. G., jt. auth.

Herrmann, F.: See Coon, W. M., jt. auth.

Higdon, R. S.: See Demis, D. J., jt. auth.

Hitselberger, J. F., and Burns, R. E.: Darier's disease: report of a case complicated by Kaposi's varicelliform eruption, *425

Hoch-Ligeti, C.: See Cawley, E. P., jt. auth.

Hollander, A.: The Finsen Memorial Congress, *499

Hollander, M.: Keloids treated by destruction followed by Grenz radiation, 672

Hopkins, H. H., and Smith, E.: For diagnosis, 690

Hu, F.; Fosnaugh, R. P., and Lesney, P. F.: Studies on albinism: demonstration of dopa-positive melanocytes in albino skin, *723

Huisman, J.: See Douglas, H. M. G., jt. auth.

Hurley, H. J., and English, R.: Keratosis pilaris, acrocyanosis, and ulerythema ophryogenes, 1062
and English, R.: Pseudoacanthosis nigricans (possible endocrinopathy), 1061

Hyman, A. B.: See Gordon, B., jt. auth.
See Harber, L. C., jt. auth.
See Rotchford, J. P., jt. auth.
See Tromovitch, T. A., jt. auth.

J

Jaffe, M. O., and Winkelmann, R. K.: Generalized scleroderma in children: acrosclerotic type, *402

James, A. P. R.: Therapy of circumscribed myxedema, 661

Jones, P. E.: See Lamb, J. H., jt. auth.

K

Kamaya, T.: See Falk, A. B., jt. auth.

Kampmeier, R. H.: Collagen diseases—unanswered questions on pathogenesis and etiology, *466

Kanof, N. B., and Blau, S.: A spray surgical dressing, 503

Kay, F. R.: See Coffey, C. M., jt. auth.

Kaye, J. W.: See Levy, E. J., jt. auth.

Kennedy, R.: See Fox, J. M., jt. auth.

Key, M. M.: See Birmingham, D. J., jt. auth.
Some unusual allergic reactions in industry, *3

Kim, R., and Winkelmann, R. K.: Dermatitis herpetiformis in children: relationship to bullous pemphigoid, *895

Kindler, J.: Prepared glass flasks: improved mycologic laboratory aid, 660

Kipping, H. L.: See Beck, A. L., Jr., jt. auth.

Kirschenbaum, M. B., and Lorincz, A. L.: Case for diagnosis (alopecia, dystrophic epidermal changes, and hypogammaglobulinemia), 1041
and Potter, B.: Case for diagnosis (disseminated granuloma annulare?), 1045

Kleeberg, L. S.: Tubex syringe and sterile needle unit in dermatology, 846

Kligman, A. M.: See Mendelson, C. G., jt. auth.
See Reichling, G. H., jt. auth.
Pathologic dynamics of human hair loss: 1. telogen effluvium, *175

Knoll, G. M.: Epidermolysis bullosa, simple type—unusually extensive, 349

Kopf, A. W.: Dental sinus, 1024
Diagnosis: eccrine spiradenoma; slide demonstration, 692
Diagnosis: Traumatic hemangioma; slide demonstration, 693

Kress, M. A.: Sarcoidosis, 702

Kroll, C. L.: See Bluefarb, S. M., jt. auth.
See Falk, A. B., jt. auth.

Kurban, A. K.: Kaposi's idiopathic hemorrhagic sarcoma, 677
Systemic scleroderma with Raynaud's phenomenon, 676

L

Lamb, J. H.: See Everett, M. A., jt. auth.
Jones, P. E.; Morgan, R. J.; Everett, M. A., and Penrod, J. N., Jr.: Further studies in light-sensitive eruptions, *568

Lawler, J. C.: See Vineyard, W. R., jt. auth.
and Lumpkin, L. R.: Cutaneous capillary changes in lupus erythematosus, *636

Laymon, C. W.: Cheilitis granulomatosa and Melkersson-Rosenthal syndrome, *112

Leclerc, G.: See Blank, F., jt. auth.

Lehman, J. M.: See Hambrick, G. W., Jr., jt. auth.
See Shelley, W. B., jt. auth.

Leider, M.: See Stowey, C., jt. auth.
and Moser, H. S.: Toxicology of topical dermatologic preparations: report of case in which 2 ounces of phenol-saline preparation were swallowed, *928

Lerner, A. B.: Three unusual pigmentary syndromes, *97

Lerner, A. G.: See Feldman, F. F., jt. auth.

Lesney, P. F.: See Hu, F., jt. auth.

Levan, N. E.: Carcinoma of bowel metastatic to skin 10 years postoperatively, 857
Congenital defect of thumbnails: dermatologic manifestation of congenital syndrome including musculoskeletal defects, absent patellae, and renal dysplasia, *938

Leveridge, L. L.: See Popkin, G. L., jt. auth.

Levin, G. H.: See Winer, L. H., jt. auth.

Levin, M. B.: DNA autosensitivity, 703

Levitt, H.: Toxic vesicular eruptions, 855

Levy, E. J.: See Shaffer, B., jt. auth.
and Kaye, J. W.: 1. Mycosis fungoides of 22 years' duration. 2. carcinoma of rectum—19 years postoperative, 1058

Lindberg, M. C.: See Newcomer, V. D., jt. auth.

Lindsay, D. G.: Variant of congenital hemangioma, 337

Lipson, R. L., and Baldes, E. J.: Histamine and photodynamic action, *417

Litt, J. Z.: Hunk o' skin, 844

Loewenthal, K.: Antifungal effect of 70% ethyl alcohol: laboratory study, *803

Lorenc, E., and Winkelmann, R. K.: Evaluation of dermatologic therapy: 1. sulfur and petrolatum, *761

Loria, P. R., and Hailey, C. W.: Nevus follicularis keratosis (comedo nevus): review of world literature and addition of case *991

Lorincz, A. L.: See Auerbach, R., jt. auth.
See Kirschenbaum, M. B., jt. auth.
Lichen amyloidosis, 166
Unusually severe acne conglobata treated with sulfapyridine in 13-year-old boy, 1038
and Goodman, R. S.: Dermatomyositis treated by adrenalectomy, 1036
and Temple, D.: Pyoderma gangrenosum?, 1048

Loutzenhiser, J.: See Goldman, L., jt. auth.

Luikart, R., II: My case, 759

Lumpkin, L. R.: See Lawler, J. C., jt. auth.
See Vineyard, W. R., jt. auth.
Dyskeratosis ichthyosiform congenita migrans, 669
Herpes zoster in an infant with probable postherpetic neuralgia: case report, 661

Luscombe, H A.: Pemphigus vulgaris with ocular involvement, 351
Sarcoidosis, 353
and Colburn, H. L.: Senear-Usher syndrome, 352

Lynch, J. L.: Multiple pigmented nevi with linear distribution, 342

M

Maeda, K.: See Nishimura, N., jt. auth.

Malkinson, F. D., See Gombiner, A., jt. auth.
and Temple, D.: Scrofuloderma, tuberculous mastitis, and tuberculous peritonitis, 1046

Mandol, L.: See Coon, W. M., jt. auth.

March, C.: See Orentreich, N., jt. auth.

March, C. H.: Lymphoblastoma (follow-up of case originally presented "for diagnosis"), 1023

Marchionini, A.: Relationship of dermatology to arts and sciences, *15

Markson, L. S.: See Hackbarth, D. E., jt. auth.

Marsden, C.: See Portnoy, B., jt. auth.

Marshak, L. C.: Sebocystomatosis, 165

Marten, M. A., and Blackburn, E. K.: Lupus erythematosus: a five-year follow-up of 77 cases, *430

Matsunaka, M.: See Nishimura, N., jt. auth.

May, S. B.: See Reed, W. B., jt. auth.
Amelanotic melanoma of right great toenail bed, 862
Epithelial nevus with marked pruritus, 340

McCluer, C. F. A., Jr., and Burns, R. E.: Dental abscess with sinus tract formation, *941

McGovern, V. J.: Mechanism of photosensitivity: experimental study, *40

Mehregan, A. H., and Butler, J. D.: Tumor follicular infundibulum: report of case, *924
and Pinkus, G.: Necrobiosis lipoidica with sarcoid reaction: case report, *143

Mendelson, C. G., and Kligman, A. M.: Isolation of wart virus in tissue culture: successful reinoculation into humans, *559

Mescon, G.: See Grots, I. A., jt. auth.

Michaelides, P.; Rosenthal, S. A.; Sulzberger, M. B., and Witten, V. H.: Trichophyton tonsurans infection resistant to griseofulvin: case demonstrating clinical and in vitro resistance, *988

Miller, R.: Epilating folliculitis with atrophy of glabrous skin (Arnozan and Dubreuilh), 164

Miller, R. F.: Epilating folliculitis of glabrous skin: report of case, histopathologic and nosologic study, *777

Minor, D.: See Everett, M. A., jt. auth.

Mopper, C., and Darnall, T. W.: Nummular and confluent papillomatosis: report of new case and review of literature, *773

Morgan, R. J.: See Lamb, J. H., jt. auth.

Morrill, S. D.: See Harber, L. C., jt. auth.

Moser, H. S.: See Leider, M., jt. auth.

Muller, S. A.: Urticarial sensitivity to cold in tropics: report of 2 cases, *930

N

Nelson, C. T.: Gout, 344

Netherton, T. E.: Idiopathic atrophoderma of Pasini and Pierini, 701

Newcomer, V. D., and Haan, R.: Dermatofibrosarcoma protuberans, 335
Lindberg, M. C., and Sternberg, T. H.: Melanosis of face ("chloasma"), *284

Nicholas, L., and Baute, P. B.: American (mucocutaneous) leishmaniasis, 1059

Nishimura, N.; Maeda, K.; Yasui, M.; Okamoto, H.; Matsunaka, M., and Toshina, H.: Phenylalanine and tyrosine in collagen diseases: urinary excretion of general intermediary metabolites of tyrosine in patients with collagen disease and liver disease, *644

Nixon, R. K.: See Brannen, M., jt. auth.

O

Oberfield, R. A.: Lichen sclerosus et atrophicus and kraurosis vulvae: are they same disease? *806

Obermayer, M. E.: See Schall, S., jt auth. Histiocytoma of eyelid (?), 860

Okamoto, H.: See Nishimura, N., jt. auth.

O'Malley, C. D.: Dermatological origins, *204

Orentreich, N.: Diagnosis: mycosis fungoides of 28 years' duration, 697
Harber, L. C., and Tromovitch, T. A.: Photosensitivity and photo-onycholysis due to demethylchlortetracycline, *730
March, C., and Berger, R.: Disposable syringe for intralesional injections, 848

Orfuss, A. J.: Sicklemia with leg ulcers, 1028

Osbourn, R. A.: Hyperpigmentation (melanosis) possibly following pityriasis rosea, 689

P

Pascher, F., and Bernstein, S. I.: Case for diagnosis: lymphocytoma cutis? reticulum-cell lymphosarcoma?, 1031

Peachey, J. C.: See Crissey, J. T., jt. auth.

Pelzig, A.; Witten, V. H., and Sulzberger, M. B.: Chloroquine for chronic discoid lupus erythematosus: intralesional injections, *146

Penrod, J. N., Jr.: See Lamb, J. H., jt. auth.

Pensley, N., and Sims, C. F.: Keratosis senilis with epidermal splits: its resemblance to Darier's disease and its probable significance, *951

Perone, V. B.: See Birmingham, D. J., jt auth.

Perry, H. O.: Pemphigus foliaceus, *52
Recent treatment programs for generalized scleroderma, *300

Peterson, J. B.: Alopecia mucinosa, 1064

Pidgeon, J.: See Reed, W. B., jt. auth.

Pinkus, H.: See Mehregan, A. H., jt. auth.

Polano, M. K.: Triamcinolone acetonide cream in double-blind test, *214

Pollock, J. H.: Pityriasis lichenoides et varioliformis acuta? rickettsial pox?, 1029
and Franks, A. G.: Case for diagnosis: acrokeratosis verruciformis and/or lupus erythematosus?, 1027

Popkin, G. L., and Brodie, S. J.: Guide sutures in excisional surgery of lip, 1008
Brodie, S. J.; Leveridge, L. L., and Goeller, J. P.: A simple apparatus for 16 mm. motion picture photography: dermatologic subjects filmed by a new method, 507

Portnoy, B., and Marsden, C.: Acrodermatitis enteropathica without diarrhea, *420

Potelunas, C. B.: Sclerederma, 1062

Potter, B.: See Kirschenbaum, M. B., jt. auth.
Granuloma faciale, 1034
Pustular psoriasis, 1043
and Temple, D.: Psoriasis with extensive lichenification, 1038
and Temple, D.: Pustular psoriasis, 1043

Prats, F.: See Schenone, H., jt. auth.

R

Raskin, J.: Antigen-antibody reaction site in contact dermatitis: determination by use of fluorescent antibody technique, *459

Rauschkolb, E. W.: Staphylococcic actinophytosis (botryomycosis), 161

Rauschkolb, R. R.: Autoerythrocyte sensitization, 162
Congenital ichthyosiform erythroderma. contact dermatitis of legs, stasis factor?, 1050
Intraepidermal squamous-cell carcinoma of right hand. psoriasis. arsenical keratoses, hypertensive cardiovascular disease, 1051
Mycosis fungoides: discussion and clinical experience at Cleveland Metropolitan General Hospital, *217

Readett, M. D., and Glyn-Hughs, F.: Extensive acanthosis nigricans with bronchial carcinoma: report of case, 849

Rebello, D. J. A.: Ocular reactions to antimalarial drugs, *785

Reed, W. B., and May, S. B.: Tuberous sclerosis, 865
Becker, S. W.; Rohde, R., and Heiskell, C. L.: Psoriasis and arthritis: clinicopathologic study, *541
Heiskell, C. L., and Becker, S. W.: Negative latex-fixation test in psoriatic arthritis, *653

Pidgeon, J., and Becker, S. W.: Patients with spinal cord injury: clinical cutaneous studies, *379

Rees, R. B., and Bennett, J. H.: Methotrexate vs. aminopterin for psoriasis, *970

Reichling, G. H., and Kligman, A. M.: Alternate-day corticosteroid therapy, *980

Reifel, D. C.: See Hearin, J. T., jt. auth.

Reisner, R. M.: See Sternberg, T. H., jt auth

Rian, O., and Dickison, G.: Juvenile acanthosis nigricans, 326

Richfield, D. F.: See Goldman, L., jt. auth.

Rider, H. E.: See Beerman, H., jt. auth.

Ringrose, E. J.: Alopecia mucinosa?, 1065

Roberts, D.: See Bereston, E. S., jt. auth.
See Robinson, H. M., Jr., jt. auth.
See Strahan, J. F., jt. auth.
Pemphigus vulgaris, 684
Sarcoidosis, 677
and Strahan, J. F.: Sarcoidosis, 678

Robinson, H. M., Jr.: Fluocinolone acetonide, 149
Fungus culture storage, 1009
Keratosis follicularis, 671
Moniliasis, 675
Unilateral psoriasis, 670
and Harmon, L. B.: Addison's disease with vitiligo, 682
and Roberts, D.: Nevus pilosus: bathing trunk nevus, 687
and Roberts, D.: Sporotrichosis, 682
and Roberts, D.: Zosteriform lichen planus; zosteriform psoriasis; zosteriform nevus unius lateris, 671
and Yaffe, S. N.: Follicular lymphoma, 687

Robinson, R. C. V.: See Bereston, E. S., jt. auth.
Epidermolysis bullosa, dystrophic type, 680
For diagnosis, 691
Pseudoxanthoma elasticum, 679

Roe, D. A.: Affinity of hydroxystilbamidine for psoriatic lesions, *584

Rohde, R.: See Reed, W. B., jt. auth.

Rosenbaum, E. M.: Dermatologic manifestation of dental disease, 1024

Rosenthal, S. A.: See Michaelides, P., jt. auth.

Rostenberg, A., Jr.: See Fox, J. M., jt. auth.
and Bogdonoff, D.: Case for diagnosis: (ectodermal dysplasia?), 1042
Shellow, H., and Bogdonoff, D.: Papular mucinosis, 1034

Rotchford, J. P., and Hyman, A. B.: Extreme hyperkeratotic psoriasis in mongoloid: case report, *973

S

Sauer, G. C., and Geha, B. J.: Impetigo herpetiformis: report of case treated with corticosteroid—review of literature, *119; correction, 595

Sauter, L. S.: Hypercholesterolemic xanthomatosis secondary to biliary cirrhosis, 867

Savitt, L. E.: Combination scalpel and comedone extractor, 660

Schall, S., and Obermayer, M. E.: Pityriasis rubra pilaris, 858

Schamberg, I. L., and Strauss, R. E.: Bristle migrans, 663

Scheen, S. R., Jr., and Winkelmann, R. K.: Alkaline phosphatase in skin of certain animals, *439

Schenone, H., and Prats, F.: Arachnidism by Loxosceles laeta: report of 40 cases of necrotic arachnidism, *139

Shaffer, B.; Cahn, M. M., and Levy, E. J.: The use of dihydroxyacetone for skin tanning, *437; correction, 805

Shasky, D: See Coomber, R. B., jt. auth.

Shatin, H.: Pityriasis rubra pilaris, 1055
Relapsing febrile nodular nonsuppurative panniculitis (Weber-Christian disease), 1053

Sheard, C.: Keloids, 873

Shehadeh, M.: See Hambrick, G. W., Jr., jt. auth.

Shelley, W. B., and Florence, R.: Chronic urticaria due to mold hypersensitivity: study in cross-sensitization and autoerythrocyte sensitization, *549
and Lehman, J. M.: Dermabrasion for hyperkeratosis, 1006
and Lehman, J. M.: Generalized anhidrosis associated with multiple myeloma, *903

Shellow, H.: See Rostenberg, A., Jr., jt. auth.
Elephantiasis nostras of male external genitalia, 1037

Shenoy: Y. M. V.: Malignant perianal papillary hidradenoma, *965

Sims, C. F.: See Pensley, N., jt. auth.

Sladkovich, S. E.: William Allen Pusey (1865-1940): in commemoration of 20th anniversary of his death, *984

Slowey, C., and Leider, M.: Abstract of preliminary report: production of bullae by quantitated suction, 1029

Smith, E.: See Hopkins, H. H., jt. auth.

Spencer, M. C.: 8-Methoxypsoralen treatment of MBH leukoderma, 1003

Spoor, H.: Familial benign pemphigus (Hailey-Hailey), 870

Sternberg, T. H.: See Newcomer, V. D., jt. auth.
and Reisner, R. M.: Diffuse alopecia of scalp: 2 cases, 329
and Reisner, R. M.: Lichen planus limited to nails, 333

Stewart, J. J.: See Walker, A. E., jt. auth.

Strauss, J. S.: See Grots, I. A., jt. auth.

Strauss, R. E.: See Schamberg, I. L., jt. auth.

Stritzler, C.: Chronic benign familial pemphigus, 1027
Diagnosis: multiple myeloma treated with acth and corticosteroids for 2½ years, 694
Generalized granuloma annulare (apparently responding well to chloroquine therapy), 1033
Lichen sclerosus et atrophicans, 1028

Sullivan, M.: Chronic recurrent ulcerative condition of tongue in patient with lichen sclerosis at atrophicus, 688
Congenital ichthyosiform erythroderma, 667
Hydroa aestivale, 672

Sullivan, T. J.: See Forsey, R. R., jt. auth.

Sulzberger, M. B.: See Michaelides, P., jt. auth.
See Pelzig, A., jt. auth.

Szymanski, F. J., and Bluefarb, S. M.: Nodular fat necrosis and pancreatic diseases, *224

T

Tas, J.: See Ganor, S., jt. auth.

Telner, P.: See Blank, F., jt. auth.

Temple, D.: See Lorincz, A. L., jt. auth.
See Malkinson, F. D., jt. auth.
See Potter, B., jt. auth.

Terreni, A. A.: Tinea capitis survey in Charleston, S. C., *88

Tilley, R. F.: See Goodman, J., jt. auth.

Torre, D.: Allergic vasculitis, 343

Toshina, H.: See Nishimura, N., jt. auth.

Triedman, R.: Congenital dysplastic angiopathy (Parkes-Weber syndrome), 868

Tromovitch, T. A.: See Orentreich, N., jt. auth.
and Hyman, A. B.: Systemic lupus erythematosus with hemorrhagic bullae: case with L. E. cells recovered from bullae, *910

Tubich, G. E.: See Birmingham, D. J., jt. auth.

V

Vineyard, W. R.; Lumpkin, L. R., and Lawler, J. C.: Ichthyosis linearis circumflexa: variant of congenital ichthyosiform erythroderma, *630

W

Walker, A. E.; Stewart, J. J., and Crone, P. J.: Letterer-Siwe disease (acute disseminated histiocytosis X), 159

Wallk, S.: See Bluefarb, S. M., jt. auth.

Walton, M. D.: See Demis, D. J., jt. auth.

Wartman, W. B.: Reply to Dr. Desjardins (Is the pathologist infallible?), 317

Watkins, D. B.: Pityriasis alba: form of atopic dermatitis: preliminary report, *915

Weary, P. E.; Wheeler, C. E., and Cawley, E. P.: Adult scurvey: report of case, 657

Weidman, A. I.: See Franks, A. G., jt. auth.

Welton, D. G., and Greenberg, B. G.: Trends in office practice of dermatology: part I, *355

Wheeler, C. E.: See Weary, P. E., jt. auth.

Wilson, H. T. H., and Bett, D. C. G.: Miliary lesions in lichen planus, *920

Winer, L. H., and Levin, G. H.: pigmented basal-cell carcinoma in verrucous nevi: report of 2 cases, *960

Winkelmann, R. K.: See Jaffee, M. O., jt. auth.
See Kim, R., jt. auth.
See Lorenc, E., jt. auth.
See Scheen, S. R., Jr., jt. auth.

Witten V. H.: See Michaelides, P., jt. auth.
See Pelzig, A., jt. auth.

Wolf, M.: Case for diagnosis: bullous eruption limited to scalp, face and neck, 1025
Diagnosis: pemphigoid?, 698

Y

Yaffe, S. N.: See Robinson, H. M. Jr., jt. auth.
Ocular Pemphigus, 685

Yasui, M.: See Nishimura, N., jt. auth.

Young, A. W., Jr.: Necrobiosis lipoidica diabeticorum? granulomatosis disciformis chronica et progressiva?, 872

Z

Zakon, S. J.: Centenary of Thomas Addison (1793-1860): his contributions to dermatology, *934

and Adler, F.: Lupus vulgaris—response to steroid therapy, 1045

Zelickson, A. S.: Electron microscopic study of epidermal sweat duct, *106

Zeligman, I.: 1. Phenylketonuria. 2. lichen sclerosis et atrophicus. 3. secondary atrophoderma. 4. acanthosis nigricans, 674

and Fleisher, L.: Nevus anemicus with von Recklinghausen's disease, 681

Zimmerman, M. C.: See Foster, P. D., jt. auth.

SUBJECT INDEX TO VOLUME 83

The following index contains an alphabetical list of significant subjects presented in this volume. Books reviewed are indexed alphabetically by title under the heading "BOOKS." Obituaries are indexed under the heading "DEATHS." Society Transactions are listed under that heading, with individual papers indexed under appropriate headings. Page numbers in the Index refer to bold face (dark) numbers in the text.

A

Abdomen
necrobiosis lipoidica diabeticorum of [Grots et al.], 505

Abscess, dental: See under Teeth

ABSTRACTS FROM CURRENT LITERATURE, 520, 708, 881

Acanthosis nigricans
extensive, with bronchial carcinoma: case report (Readett & Glyn-Hughs], 849
juvenile [Rian & Dickison], 326
phenylketonuria; lichen sclerosis et atrophicus; secondary atrophoderma (Zeligman), 674

Acid number
of skin surface lipids in psoriasis [Coon et al.], *619

Acne
conglobata treated with sulfapyridine in boy, 13: unusually severe [Lorincz], 1038
long-term therapy of, with tetracycline [Cornbleet], *414
rosacea (demodex type): demodectic eruptions in human [Ayres & Ayres], *816
should we limit sugar in? [Cornbleet & Gigli], *968

Acridines
acridine orange fluorescent stain for fungi [Chick], *305

Acrocyanosis
keratosis pilaris, ulerythema opyryogenes, and [Hurley & English], 1062

Acrodermatitis
enteropathica? [Hambrick & Formi sano], 1057
enteropathica without diarrhea [Portnoy & Marsden], *420

Acrokeratosis verruciformis
and/or lupus erythematosus?: [Pollock & Frank], 1027

Acrosclerosis
generalized scleroderma in children: acrosclerotic type [Jaffe & Winkelmann], *402
lupus erythematosus disseminata? (Barker), 877

ACTH: See Corticotropin

Actinomycosis
[Blufarb et al], 170

Actinophytosis
staphylococcic: (botryomycosis) [Rauschkolb], 161

Addison, Thomas
centenary of, (1793-1860): his contributions to dermatology [Zakon], *934

Addison's disease
with vitiligo [Robinson & Harmon], 682

Adenocarcinoma
metastatic [Barker], 345

Adrenal cortex hormones
alopecia areata of eyebrows—corticosteroids [Berger], 151

Adrenalectomy
dermatomyositis treated by [Lorincz & Goodman], 1036

Agammaglobulinemia
congenital, in brothers: follow-up report [Fisher], 696

Aged: See Geriatrics

Aging
benign and malignant cutaneous tumors in elderly [Becker & Brennan], *262

Albinism
demonstration of dopa-positive melanocytes in albino skin [Hu et al.], *723

Albright's syndrome
[Fitzpatrick], 518

Alcohol
70% ethyl: antifungal effect of: laboratory study of [Loewenthal], *803

Alkaline phosphates: See Phosphatase

Allergy: See also Urticaria
contact dermatitis of legs, stasis factor? [Rauschkolb], 1050
gold: eczematous contact-sensitivity to [Fox et al.], *956
griseofulvin: sensitivity investigation [Goldblatt], *936
mold hypersensitivity: chronic urticaria due to [Shelley & Florence], *549
phototoxic bullae among celery harvesters [Birmingham et al.], *73
some unusual allergic reactions in industry [Key], *3
vasculitis: allergic [Torre], 343

Alopecia
diffuse, of scalp: 2 cases [Sternberg & Reisner], 329
dystrophic epidermal changes, hypogammaglobulinemia and: case for diagnosis [Kirschenbaum & Lorincz], 1041
mucinosa [Peterson], 1064
mucinosa? [Ringrose], 1065
total: total vitiligo, nail changes and [Lerner], *98

Alopecia areata
in twins [Barsky & Gigli], 170
of eyebrows—corticosteroids [Berger], 151
triamcinolone suspension in [Gombiner & Malkinson], 1004

Aminopterin: See under Antimetabolites

Amphotericin B
in disseminated cutaneous candidiasis [Coffey et al.], 1014

Amyloidosis
lichen [Lorincz], 166

Angioma
"petechial" angiomata [Brannen et al.], 386

Anhidrosis: See under Sweat glands

ANNOUNCEMENTS, 155, 533, 714, 1067

Antigen-antibody reactions
site in contact dermatitis: determination by use of fluorescent antibody technique [Raskin], *459

Antimalarial drugs: see Drugs, antimalarial

Antimetabolites
methotrexate vs. aminopterin for psoriasis [Rees & Bennett], *970

APPARATUS AND INSTRUMENTS
combination comedone extractor and scalpel [Savitt], 660
diamond fraise dermabrasion for hyperkeratosis [Shelley & Lehman], 1006
disposable syringe for intralesional injections [Orentreich et al.], 848
fungus culture storage [Robinson], 1009
guide sutures in excisional surgery of lip [Popkin & Brodie], 1008
new "inject-trainer" [Dobes], 847
prepared glass flasks [Kindler], 660
quantitated suction: product of bullae by [Slowey & Leider], 1029
rezifilm: spray surgical dressing [Kanof & Blau], 503
spectrophotometry: reflection, use in evaluation of skin pigmentary disturbances [Buckley & Grum], *249
tubex syringe and sterile needle unit in dermatology [Kleeberg], 846

Arachnidism
by Locosceles laeta: report of 40 cases of necrotic arachnidism [Schenone & Prats], *139

ARCHIVES OF DERMATOLOGY
two members appointed to Editorial Board (editorial), 1

Arthritis
psoriasis and: clinicopathologic study [Reed et al.], *541
psoriatic: negative latex-fixation test in [Reed et al.], *653

Association for Investigation Dermatology, 537

Asthma
some unusual allergic reactions in industry [Key], *3

Atrophoderma
idiopathic, of Pasini and Pierini [Netherton], 701
idiopathic: progressive, of Pasini and Pierini [German], 1061
secondary: phenylketonuria; lichen sclerosis et atrophicus; and acanthosis nigricans [Zeligman], 674

B

BOOKS
Atlas of Medical Mycology [Moss], 892
Bacterial Investigations and Determination of Bacterial Resistance to Antibiotics [Welsch], 539
Biochemistry of Lipids. Proceedings of 5th International Conference on Biochemical Problems of Lipids [Popják, ed.], 173
Cutaneous Manifestations of Reticuloendothelial Granulomas [Bluefarb], 891
Diseases of Nails [Pardo-Castello & Pardo], 172
Diseases of Skin [Marshall], 172
Dyslipidoses [Fleischmajer], 539
Eleventh International Congress of Dermatology, Stockholm, 1957, Proceedings. Vols. I-III [Acta dermatovenereologica], 173
First Canadian Symposium on Nongonococcal Urethritis and Human Trichomoniasis [Gallai & Sylvestre, eds.], 540
Fortschritte der praktischen Dermatologie und Venerologie [Marchionini, ed.], 716
Human Growth [Tanner, ed.], 892
International Congress of Dermatology, eleventh, Stockholm, 1957, Proceedings.
Vols. I-III [Acta dermato-venereologica], 173
Leukemia Cutis [Bluefarb], 891
Lupus Vulgaris Cutis in Denmark [Cowan, tr.], 539
Lymphangiographic und Lymphadenographie der Extremitäten [Kaindl et al.], 172
Medical and Biological Research in Israel [Prywes, ed.], 715
Micologia y Micopatologia Medica [Niño], 173

BOOKS—continued
Neurodermatitis/Asthma-Rhinitis [Schnyder], 891
Polypeptides Which Affect Smooth Muscles and Blood Vessels. Proceedings of symposium, London, March 23-24, 1959 [Schachter, ed.], 174
Serologic Reactions in Parasitic and Infectious Diseases [Faure et al.], 539
Systemic Lupus Erythematosus. Mount Sinai [New York] Hospital Monograph, 538
War Mulattoes and Other Cases [Gedda et al.], 538

Botryomycosis
staphylococcic actinophytosis [Rauschkolb], 161

Bowen's disease
and relationship to systemic cancer [Graham & Helwig], *738

Bristle migrans
[Shamberg & Strauss], 663

C

Calcaneus
calcaneal petechiae [Crissey & Peachey], 501

Calcifying epithelioma: See Pilomatrixoma

Cancer
skin: technique for improved cosmetic end-result in radiation therapy for [Gaethe], 1002
systemic: Bowen's disease and relationship to [Graham & Helwig], *738

Candidiasis
cutaneous: amphotericin B in disseminated [Coffey et al.], 1014

Cantharidin
treatment of molluscum contagiosum [Funt], 504

Capillaries
cutaneous capillary changes in lupus erythematosus [Lawler & Lumpkin], *636

Carbuncles
recurrent [Graur & Hennessy], 1063

Carcinoma
bronchial: extensive acanthosis nigricans with: case report [Readett & Glyn Hughes], 849
epidermoid: perianal papillary hidradenoma [Shenoy], *965
of bowel metastatic to skin 10 years postoperatively [Levan], 857
pigmented basal-cell, in verrucous nevi [Winer & Levin], *960
rectum—19 years postoperative and mycosis fungoides of 22 years' duration [Levy & Kaye], 1058

Carcinoma—continued
skin: "pH signature" of: application of technique [Foraker], *392
squamous-cell carcinoma of right hand: intraepidermal [Rauschkolb], 1051
uterus: remission of dermatomyositis following surgery for [Bluefarb et al.], 168

Cardiovascular disease
hypertensive, intraepidermal squamous-cell carcinoma of right hand, psoriasis, and arsenical keratosis [Rauschkolb], 1051

Celery harvesters
phototoxic bullae among [Birmingham et al.], *73

Cheilitis
granulomatosa and Melkersson-Rosenthal syndrome [Laymon], *112

Children
dermatitis herpetiformis in, relationship to bullous pemphigoid [Kim & Winkelmann], *895
scleroderma, generalized in: acrosclerotic type [Jaffe & Winkelmann], *402

"Chloasma"
melanosis of face [Newcomer et al.], *284

Chlordiazdpoxide
fixed drug eruption from [Gaul], 1010

Chloroquine
for chronic discoid lupus erythematosus: intralesional injections [Pelzig et al.], *146
intradermal administration of; for discoid lupus erythematosus and lichen sclerosus et atrophicus [Everett & Coffey], *977
therapy: generalized granuloma annulare apparently responding well to [Stritzler], 1033

Chlorothiazide
light-sensitive eruption due to diuril vs. systemic lupus erythematosus [Costello], 875

Clubbed fingers
familial [Curth et al.], *828

Collagen diseases
phenylalanine and tyrosine in: urinary excretion of general intermediary metabolites of tyrosine in patients with liver disease and [Nishimura et al.], *644

Congress
Finsen Memorial Congress [Hollander], *499
XII International Congress of Dermatology, Washington, D.C., September, 1961, 1067

CORRESPONDENCE
bithionol [Weiner], 322
chymotrypsin [Cornbleet], 509
clinical note entitled "topical use of Chymar ointment" [Greenwald], 509
eczema vaccinatum [Dennie], 758
editorial by Dr. Desjardins and Dr. Wartman's reply (Caro), 1016
"interfinger" webs [Arnold], 509
larva migrams: an effective treatment [Kingsley], 510
malignant papulosis with atrophy (lethal cutaneous and gastrointestinal thrombosis) [Binkley], 1017
observations in regard to Dr. Ronchese's article "pseudopelade" [Pierini], 665
pityriasis alba [Throm], 1018
reply to Dr. Blair from Winthrop Laboratories [Foley], 664
reply to Pierini-Borda [Ronchese], 665
shoulder-wiping syndrome* (Skinner's syndrome) [Skinner], 1017
standard nomenclature: Berlock dermatitis [Woods], 322
Winthrop Laboratories: aralen tablets [Blair], 664

Corticoids: See Adrenal cortex hormones

Corticosteroids
multiple myeloma treated with ACTH and, for 2½ years [Stritzler], 694
therapy: alternate-day [Reichling & Kligman], *980

Corticotropin
multiple myeloma treated for 2½ years with corticosteroids and [Stretzler], 694

Cortisone
impetigo herpetiformis: report of case treated with corticosteroid—review of literature [Sauer & Geha], *119

D

Darier's disease
Kaposi's varicelliform eruption: report of a case complicated by [Hitselberger & Burns], *425
keratosis senilis with epidermal splits: resemblance to [Pensley & Sims], *951

DEATHS
Dalton, John E., 156
Garb, John, 1020

Declomycin: See Demethylchlortetracycline

Demethylchlortetracycline
photosensitivity and photo-onycholysis due to [Orentreich et al.], *730

Demodex: See under Demodicidosis

Demodicidosis
demodectic eruptions in human: 2 commonly unrecognized entities: pityriasis folliculorum [demodex] and acne roacea (demodex type), [Ayres & Ayres], *816

Dermabrasion
for hyperkeratosis [Shelley & Lehman], 1006

Dermatitis
antigen-antibody reaction site in contact: determination by use of fluorescent antibody technique [Raskin], *459
atopic: preliminary report of pityriasis alba: form of [Watkins], *915
chronic, and infection involving extremeties and abdominal wall [Hearin & Reifel], 1054
congenital ichthyosiform erythroderma vs. chronic exfoliative [Bereston], 668
contact, allergic: some unusual allergic reactions in industry [Key], *3
contact, of legs, stasis factor?: congenital ichthyosiform erythroderma [Rauschkolb], 1050
herpertrophic stasis [Falk et al.], 169
herpetiformis in children: relationship to bullous pemphigoid [Kim & Winkelmann], *895
nodularis necrotica: malignant vasculitis [Blumenthal], 699
phototoxic bullae among celery harvesters [Birmingham et al.], *73

Dermatofibrosarcoma: See Fibrosarcoma

Dermatology
dermatological origins [O'Malley], *204
evaluation of dermatologic therapy: I. sulfur & petrolatum [Lorenc & Winkelmann], *761
XII International Congress of Dermatology, Washington, D.C., September, 1961, 1067
relationship of, to the arts and sciences [Marchionini], *15
Thomas Addison contributions to: centenary of, (1793-1860) [Zakon], *934
trends in office practice of dermatology: part 1 [Welton & Greenberg], *355

Dermatomyosis
[Auerbach & Lorincz], 167

Dermatomyositis
(remission following surgery for carcinoma of uterus) [Bluefarb et al.], 168
treated by adrenalectomy [Lorincz & Goodman], 1036

Dermatosclerosis: See Scleroderma

Dermatoses: See under Skin

Desoxyribose nucleic acid
autosensitivity [Levin], 703

Diabetes mellitus
necrobiosis lipoidica diabeticorum of [Young], 872
necrobiosis lipoidica diabeticorum? abdomen [Grots et al.], 505
porphyria and, relationship: case report [Burnham & Fosnaugh], *717

Digital disease
distinctive, destructive [Fisher], 1030

Dihydroxyphenylalamine
dopa-positive melanocytes in albino skin: demonstration of [Hu et al.], *723

Diphemanil methylsulfate
in hyperhidrosis [Hackbarth & Marksson], 659

Disinfectants
alcohol: See Alcohol

Diuril: See Chlorothiazide

DMCT: See Demethylchlortetracycline

DNA: See Desoxyribose nucleic acid

Dopa: See Dihydroxyphemylalamine

Dressings
surgical, spray (Rezifilm) [Kanof & Blau], 503

Drugs
antimalarial: See also specific drugs, as Chloroquine
antimalarial: ocular reactions to [Rebello], *785
photosensitivity to: studies in man and guinea pigs [Baer & Harber], *7

Dyskeratosis
vesicular malignant dyskeratosis [Ellis], *790

Dysplasia
ectodermal? [Rostenberg & Bogdonoff], 1042
renal: congenital defect of thumbnails: syndrome including [Levan], *938

E

Earl D. Osborne Fellowship in Dermal Pathology
sponsored by American Academy of Dermatology and Syphilology, 155, 536

Eczema
contact-sensitivity to gold causing [Fox et al.], *956
triamcinolone acetonide cream in double-blind test [Polano], *214
vaccinatum [Barsky & Bernstein], 171

EDITORIALS
is the pathologist infallible? [Desjardins], 310
two new members appointed to Editorial Board, 1

Electron microscopy: See Microscopy, electron

Elephantiasis
nostras of male external genitalia [Shellow], 1037

Endocrinopathy
possible: pseudoacanthosis nigricans [Hurley & English], 1061

Epidermolysis bullosa
dystrophic type [Robinson], 680
dystrophica: benign hyperglobulinemic purpura relationship to [Goltz & Good], *26
simple type—unusually extensive [Knoll], 349

Epithelioma
basal-cell, with trichoepithelioma [Fitzpatrick], 513
calcifying: See Pilomatrixoma

EQUIPMENT: See APPARATUS AND INSTRUMENTS

Eruptions
bullous, limited to scalp, face and neck: case for diagnosis [Wolf], 1025
demodectic, (domodicidosis) in human [Ayres & Ayres], *816
fixed drug, from chlordiazepoxide [Gaul], 1010
Kaposi's varicelliform: Darier's disease complicated by [Hitselberger & Burns], *425
light-sensitive, due to diuril vs. systemic lupus erythematosus [Costello], 875
light-sensitive, in American Indians [Everett et al.], *243
light-sensitivity? [Canizares], 878
toxic vesicular [Levitt], 855

Erythema
multiforme confined to mucous membranes [Canizares], 879
photosensitivity and photo-onycholysis due to demethylchlortetracycline [Orentreich et al.], *730

Erythrocytes
autoerythrocyte sensitization [Rauschkolb], 162

Erythroderma
congenital ichthyosiform: contact dermatitis of legs, stasis factor? [Rauschkolb], 1050
congenital ichthyosiform: ichthyosis linearis circumflexa: variant of [Vineyard et al.], *630
congenital ichthyosiform [Sullivan], 667
congenital ichthyosiform vs., chronic exfoliative dermatitis [Bereston], 668

Erythroplasia
Queyrat's with malignant change [Gordon], 866

Essays
Nelson Paul Anderson Memorial Essay Contest: Los Angeles Dermatological Society, Inc., 536

EXHIBITS, SCIENTIFIC
American Academy of Dermatology: meeting, Chicago, December, 1960, 536

Eyebrows
alopecia areata of eyebrows—corticosteroids [Berger], 151

Eyelids
histiocytoma of (?) [Obermayer], 860

Eyes
ocular pemphigus [Yaffe], 685
ocular reactions to antimalarial drugs [Rebello], *785
pemphigus vulgaris with ocular involvement [Luscombe], 351

F

Face
melanosis of: "chloasma" [Newcomer et al.], *284

Fat
necrosis, nodular, and pancreatic diseases [Szymanski & Bluefarb], *224

Favus, mouse: See Mouse favus

FELLOWSHIPS
Earl D. Osborne Fellowship in dermal pathology, 155; 536

Fibrosarcoma
dermatofibrosarcoma protuberans [Newcomer & Haan], 335

FILMS
International Congress of Dermatology, 12th, Washington, D.C., September 1962: filmed case presentations, 533

Fingers
distinctive, destructive, digital disease [Fisher], 1030
familial clubbed: See Clubbed fingers

Finsen Memorial Congress
[Hollander], *499

Flasks
prepared glass: improved mycologic laboratory aid [Kinder], 660

Fluocinolone acetonide
(in treatment of dermatoses) [Robinson], 149

Fluorescence
antigen-antibody reaction site in contact dermatitis: determination by use of fluorescent antibody technique [Raskin], *459

Fluorescent dyes
acridine orange fluorescent stain for fungi [Chick], *305

Follicular infundibulum
tumor of: [Mehregan & Butler], *924

Folliculitis
chronic, and ulerytherma ophryogenes? [Ellis & Bundick], 667
epilating, of glabrous skin: report of case, histopathologic and nosologic study [Miller], *777
epilating, with atrophy of glabrous skin (Arnozan and Dubreuilh) [Miller], 164

Fungi
acridine orangefluorescent stain for [Chick], *305
antifungal effect of 70% ethyl alcohol: laboratory study [Loewenthal], *803
culture storage [Robinson], 1009

G

Genetics
thumbnails: congenital defects of [Levan], *938

Genitals
elephantiasis nostras of male external [Shellow], 1037

Geriatrics
benign and malignant cutaneous tumors in elderly [Becker & Brennan), *262

Glomus tumor: See Tumors, glomus

Gold
eczematous contact-sensitivity to [Fox et al.], *956

Gout
[Nelson], 344

Granuloma
annulare: generalized, apparently responding well to chloroquine therapy [Stritzler], 1033
annulare, generalized [Burstein], 325
annulare: treated with intralesional injections of triamcinolone [Franks & Weidman], 1030
cheilitis granulomatosa and Melkersson-Rosenthal syndrome [Laymon], *112
chronic infectious (tuberculosis?) [Cormia], 343
chronica et progressiva?: granulomatosis disciformis [Young], 872
disseminated, annulare? [Kirschenbaum & Potter], 1045
faciale [Halprin], 1011
faciale [Potter], 1034
inguinale [Cormia], 871

Grenz (infra-roentgen) rays: See Roentgen Rays

Griseofulvin
reaction, severe to: sensitivity investigation [Goldblatt], *936
trichophyton tonsurans infection resistant to [Michaelides et al.], *988

H

Hailey-Hailey disease
familial benign pemphigus [Spoor], 870

Hair
epilating folliculitis with atrophy of glabrous skin (Arnozan and Dubreuilh) [Miller], 164
long: final note about [Corson], 852
loss, human: pathologic dynamics of: telogen effluvium [Kligman], *175

Hemangiectasia, hypertropic: See Parkes Weber syndrome

Hemangioma
congenital, variant of [Lindsay], 337
strawberry, of eyelid and periorbital skin [Fitzpatrick], 514
traumatic: slide demonstration [Kopf], 693

Heredity: See Genetics

Herpes zoster
and varicella in identical twins [Bereston & Robinson], 503
in infant with probable posherpetic neuralgia [Lumpkin], 661

Hidradenoma
papillary: malignant perianal [Shenoy], *965

Histamine
histaminuria in urticaria pigmentosa: clinical study and review of literature with definition of mastocytosis syndrome [Demis et al.], *127

Histiocytoma
of eyelid(?) [Overmayer], 860

Hydroa
aestivale [Sullivan], 672

Hydroxystilbamidine
affinity of, for psoriatic lesions [Roe], *584

Hyperhidrosis
diphemanil methylsulfate in [Hackbarth & Markson], 659

Hyperkeratosis
dermabrasion for [Shelley & Lehman], 1006
penetrans (Kyrle's disease): report of case of Negro with autopsy findings [Abele & Dobson], *277

Hyperpigmentation: See Melanosis

Hypersensitivity: See Allergy

Hypogammaglobulinemia
alopecia, dystrophic epidermal changes, and case for diagnosis [Kirschenbaum & Lorincz], 1041

I

Ichthyosis
linearis circumflexa: variant of congenital ichthyosiform erythroderma [Vineyard et al.], *630

Impetigo
herpetiformis: report of case treated with corticosteroid—review of literature [Sauer & Geha], *119

Indians, American
light-sensitive eruptions in [Everett et al.], *243

Industrial diseases: See Occupational diseases

Injections
intralesional: chloroquine for chronic discoid lupus erythematosus [Pelzig et al.], *146
intralesional: corticosteroids for alopecia areata of eyebrows [Berger], 151
intramuscular: corticosteroid (cortisone) in case of impetigo herpetiformis [Sauer & Geha], *119
triamcinolone: psoriasis treated with [Gerard], 502

Inject-tainer
new [Dobes], 847

Intestines
carcinoma of bowel metastatic to skin 10 years postoperatively [Levan], 857
urticaria pigmentosa with small bowel involvement [Fitzpatrick], 515

K

Kaposi's disease: See Xeroderma pigmentosum

Kaposi's sarcoma: See Sarcoma, Kaposi's

Kaposi's varicelliform eruption: See under Eruptions

Keloids
[Sheard], 873

Keratosis
arsenical, hypertensive cardiovascular disease, intraepidermal squamous-cell carcinoma of right hand, and psoriasis [Rauschkolb], 1051
dyskeratosis ichthyosiform congenita migrans [Lumpkin], 669
follicularis [Robinson], 671
follicularis unilateral type, nevoid distribution [Costello], 876
hyperkeratosis: See Hyperkeratosis
nevus follicularis [Loria & Hailey], *991
pilaris: See Ulerythema ophryogenes
senilis with epidermal splits: resemblance to Darier's disease and probable significance [Pensley & Sims], *951

Kraurosis vulvae
lichen sclerosus et atrophicus and: same disease? [Oberfield], *806

Kyrle's disease: See Hyperkeratosis penetrans

L

Latex-fixation test
negative, in psoriatic arthritis [Reed et al.], *653

Legs
contact dermatitis of, stasis factor? congenital ichthyosiform erythroderma [Rauschkolb], 1050
ulcers: sicklemia with [Orfuss], 1028

Leishmaniasis americana
(mucocutaneous) [Nicholas & Baute], 1059

Letterer-Siwe disease
(acute disseminated histiocytosis X) [Walker et al.], 159

Leukoderma
MBH: 8-methoxpsoralen treatment of [Spencer], 1003

Leukoplakia: See Kraurosis vulvae

Lichen
amyloidosis [Lorincz], 166
myxedematosis (papular mucinosis) [Foster & Zimmerman], 338
myxedematosus (papular mucinosis): further studies [Dalton et al.], *230
sclerosis et atrophicus and kraurosis vulvae: same disease? [Oberfield], *806
sclerosis et atrophicus: chronic recurrent ulcerative condition of tongue in patient with [Sullivan], 688
sclerosis et atrophicus; phenylketonuria; secondary atrophoderma, and acanthosis nigricans [Zeligman], 674
sclerosus et atrophicus: bulous [Feldman & Lerner], 705
sclerosus et atrophicus: intradermal administration of chloroquine for [Everett & Coffey], *977
sclerosus et atrophicans [Stritzler], 1028

Lichen planus
limited to nails [Sternberg & Reisner], 333
lupus erythematosus histologically read as [Fisher], 1026
miliary lesions in [Wilson & Bett], *920
pityriasis lichenoides chronica of Juliusberg or? [Hambrick & Shehadeh], 1057
zosteriform; zosterform psoriasis; zosteriform nevus unius laterias [Robinson] 671

Light: See also Photosensitization
sensitive eruption due to diuril vs. systemic lupus erythematosus [Costello], 875
sensitive eruptions in American Indians [Everett et al.], *243
sensitive eruptions: further studies in [Lamb et al.], *568
sensitivity eruptions? lupus erythematosus in fixture destroyed type. lymphocytic infiltration of skin [Canizares], 878

Lip surgery
excisional: guide sutures in [Popkin & Brodie], 1008

Lipids
acid number of skin surface lipids in psoriasis [Coon et al.], *619

Liquid nitrogen: See under Nitrogen

Liver
bilary cirrhosis: hypercholesterolemic xanthomatosis secondary to [Sauter], 867
disease: urinary excretion of general intermediary metabolites of tyrosine in patients with collagen disease and [Nishimura et al.], *644

Loxosceles laeta
arachnidism by: report of 40 cases of necrotic arachnidism [Schenone & Prats], *139

Lupus erythematosus
acrokeratosis verruciformis and/or,? [Pollock & Frank], 1027
bullous [Bluefarb et al.], 1040
chronic discoid, chloroquine for: intralesional injections [Pelzig et al.], *146
cutaneous capillary changes in [Lawler & Lumpkin], *636
discoid: intradermal administration of chloroquine for [Everett & Coffey], *977
disseminata?: acrosclerosis [Barker], 877
five-year follow-up study of 77 cases [Marten & Blackburn], *430
(histologically read as lichen planus) [Fisher], 1026
in fixture destroyed type. lymphocytic infiltration of skin: light-sensitivity eruption [Canizares], 878
systemic: light-sensitive eruption due to diuril vs. [Costello], 875
systemic, with hemorrhagic bullae: case with L. E. cell recovered from bullae [Tromovitch & Hyman], *910

Lupus vulgaris
—response to steroid therapy [Zakon & Adler], 1045

Lymphangioma
of tongue [Brubaker], 337

Lymphoblastoma
[March], 1023

Lymphocytoma
cutis or reticulum-cell lymphosarcoma? [Pascher & Bernstein], 1031

Lymphoma
follicular [Robinson & Yaffe], 687

Lymphosarcoma
reticulum-cell, or lymphocytoma cutis? [Pascher & Bernstein], 1031

M

Margarine disease
[Doeglas et al.], *837

Mast cells
association of tissue mast cells and skin tumors [Cawley & Hoch-Ligeti], *92

Mastocytosis
generalized, and urticaria pigmentosa: polymyxin B treatment [Asboe-Hansen], *893
histaminuria in urticaria pigmentosa: clinical study and review of recent literature with definition of synchome of [Demis et al.], *127

Melanocytes
in albino skin: demonstration of dopa—positive [Hu et al.], 723

Melanoma
amelanotic, of right great toenail bed [May], 862
[Catinella], 512
malignant: clinical study [Buchanan], *447

Melanosis
hyperpigmentation possibly following pityriasis rosea [Osbourn], 689
of face ("chloasma") [Newcomer et al.], *284

Melkersson-Rosenthal syndrome
cheilitis granulomatosa and [Laymon], *112

Methotrexate: See under Antimetabolites

Methoxypsoralen
treatment of MBH leukoderma with 8-methoxypsoralen [Spencer], 1003

Microscopy, electron
study of epidermal sweat duct [Zelickson], *106

Mikulicz disease
benign hyperglobulinemic purpura: relation to Mikulicz's disease [Goltz & Good], *26

Mold hypersensitivity
chronic urticaria due to: study in cross-sensitization and autoerythrocyte sensitization [Shelley & Florence], *549

Molluscum contagiosum
cantharidin treatment of [Funt], 504

Mongoloids
psoriasis in: extreme hyperkeratotic [Rotchford & Hyman], *973

Moniliasis
[Robinson], 675

Morphea
extensive involvement [Grekin], 328

Mouse favus
clinical manifestations of, in man [Blank et al.], *587

Mucous membranes
erythema multiforme confined to [Canizares], 879

Mycosis fungoides
discussion and clinical experience at Cleveland Metropolitan General Hospital [Rauschkolb], *217

Mycosis fungoides—continued
[Hearin & Fields], 1052
of 22 years' duration and carcinoma of rectum—19 years postoperative [Levy & Kaye], 1058
of 28 years' duration: diagnosis [Orentreich], 697

Myeloma
multiple: generalized anhidrosis associated with [Shelley & Lehman], *903
multiple: treated with ACTH and cortiocosteroids for 2½ years [Stritzler], 694

Myrmecia warts: See Warts

Myxedema
therapy of circumscribed [James], 661

N

Nails
changes: total vitiligo, total alopecia, and [Lerner], *98
lichen planus limited to [Sternberg & Reisner], 333
photo-onycholysis due to demethylchlortetracycline [Orentreich et al.], *730
thumbnail defect: congenital syndrome including musculoskeletal defects, absent patellae, and renal dysplasia [Levan], *938
toe, bed: amelanotic melanoma of [May], 862

Necrobiosis lipoidica diabeticorum
of abdomen [Grots et al.], 505
? [Young], 872

Needle
sterile, unit and tubex syringe in dermatology [Kleeberg], 846

Negroes:
hyperkeratosis penetrans [Kyrle's disease]: report of case in Negro with autopsy findings [Abele & Dobson], *277
tinea capitis survey (elementary schools) in Charleston, S. C. [Terrení], *88

Nelson Paul Anderson Memorial Essay Contest
Los Angeles Dermatological Society, Inc., 536

Neuralgia
postherpetic: herpes zoster in infant with probable [Lumpkin], 661

Nevus
anemicus with von Recklinghausen's disease [Zeligman & Fleisher], 681
bathing trunks: See Nevus, pilosus
epithelial, with marked pruritus [May], 340
follicularis keratosis (Comedo nevus) [Loria & Hailey], *991
pigmented, multiple, with linear distribution [Lynch], 342

Nevus—continued
pilosus: bathing trunk nevus [Robinson & Roberts], 687
verrucous: pigmented basal-cell carcinoma in [Winer & Levin], *960
zosteriform, unius lateris; zosteriform lichen planus; zosteriform psoriasis [Robinson], 671

NEW, NEWER, AND NEWEST, 158, 324, 511, 666, 854, 1022

Nicotine
stomatitis nicotina [Forsey & Sullivan], *945

Nitrogen
liquid nitrogen therapy [Grimmett], *563

O

Occupational diseases
some unusual allergic reactions in industry [Key], *3

Old age: See Geriatrics

Onycholysis
photo-, due to demethylchlortetracycline [Orentreich et al.], *730

Osteoarthropathy
hypertrophic: familial clubbed fingers [Curth et al.], *828

P

Palate
stomatitis nicotina [Forsey & Sullivan], *945

Pancreas
nodular fat necrosis and pancreatic diseases [Szymanski & Bluefarb], *224

Panniculitis
nodular nonsuppurative: relapsing febrile, (Weber-Christian disease) [Shatin], 1053

Papillomatosis
nummular and confluent: report of new case and review of literature [Mopper & Darnall], *773

Papular mucinosis
lichen myxedematosis [Foster & Zimmerman], 338
lichen myxedematosus: further studies [Dalton et al.], *230
[Rostenberg et al.], 1034

Parkes Weber syndrome
congenital dysplastic angiopathy [Triedman], 868
hamangiectasia hypertropic [Bereston & Roberts], 675

Patellae
congenital defect of thumbnails: syndrome including absent [Levan], *938

Pathology
dermal, Earl D. Osborne Fellowship in: 155, 536
is the pathologist infallible? (editorial) (Desjardins), 310; reply [Wartman], 317

Pemphigus
bullous pemphigoid: relationship to dermatitis herpetiformis in children [Kim & Winkelmann], *895
chronic benign familial [Stritzler], 1027
familial benign [Spoor], 870
foliaceus [Perry], *52
ocular. Aphthous stomatitis. Granuloma around umbilicus [Gross], 349
ocular [Yaffe], 685
pemphigoid? diagnosis [Wolf], 698
vulgaris [Roberts], 684
vulgaris with ocular involvement [Luscombe], 351

Periarteritis nodosa
[Corson], 351

Petechiae
calcaneal [Crissey & Peachey], 501

Petrolatum
evaluation of, in dermatologic therapy [Lorenc & Winkelmann], *761

Phenylalanine
and tyrosine in collagen diseases [Nishimura et al.], 644

Phenylketonuria
lichen sclerosis et atrophicus; secondary atrophoderma, and acanthosis nigricans [Zeligman], 674

Phosphatase
alkaline, in skin of certain animals [Scheen & Winkelmann], *439

Photography
simple apparatus for 16 mm. motion picture: dermatologic subjects filmed by new method [Popkin et al.], 507

Photo-onycholysis: See Onycholysis

Photosensitization: See also light
mechanism of photosensitivity: experimental study [McGovern], *40
photosensitivity and photo-onycholysis due to demethylchlortetracycline [Orentreich et al.], *730
photosensitivity to drugs: studies in man and guinea pigs [Baer & Harber], *7

Pigmentation: See also Melanosis
incontinentia pigmenti [Gelfarb], 866
three unusual pigmentary syndromes [Lerner], *97

Pigments
basal-cell carcinoma, pigmented, in verrucous nevi [Winer & Levin], *960
skin pigmentary disturbances: use of reflection spectrophotometry in evaluation of [Buckley & Grum], *249

Pilomatrixoma
(calcifying epithelioma) [Forbis & Helwig], *606

Pityriasis
alba: form of atopic dermatitis [Watkins], *915
folliculorum [demodex]: demodectic eruptions in human [Ayres & Ayres], *816
lichenoides chronica of Juliusberg or lichen planus? [Hambrick & Shehadeh], 1057
lichenoides et varioliformis acuta in boy, 13 [Falk et al.], 1035
lichenoides et varioliformis acuta? rickettsial pox? [Pollock], 1029
rosea: hyperpigmentation (melanosis) possibly following [Osbourn], 689
rubra pilaris [Schall], 858
rubra pilaris [Shatin], 1055

Poetry
hunk o' skin [Litt], 844
my case [Luikart], 759

Poikiloderma
atrophicans vasculare (Jacobi) [Coomber & Shasky], 706

Polyarteritis nodosa
[Corson], 351

Polymyxin B treatment
urticaria pigmentosa and generalized mastocytosis [Asboe-Hansen], *893

Porphyria
relationship to diabetes: case report [Burnham & Fosnaugh], *717

Pruritus
epithelial nevus with marked [May], 340

Pseudoacanthosis nigricans
(possible endocrinopathy) [Hurley & English], 1061

Pseudoxanthoma elasticum
[Fitzpatrick], 516
[Robinson], 679

Psoriasis
acid number of skin surface lipids in [Coon et al.], *619
affinity of hydroxystilbamidine for psoriatic lesions [Roe], *584
arthritis and clinicopathologic study [Reed et al.], 541
[Griffith & Bailey], 1043
hyperkeratotic, in mongoloid: extreme [Rotchford & Hyman], *973
intraepidermal squamous-cell carcinoma of right hand, arsenical keratoses, hypertensive cardiovascular disease, and [Rauschkolb], 1051
linear? case for diagnosis [Gethner], 341
methotrexate vs, aminopterin for [Rees & Bennett], *970

Psoriasis—continued
pustular [Potter], 1043
pustular [Potter & Temple], 1043
treated with triamcinolone injections: eighteen-month follow-up study [Gerard], 502
unilateral [Robinson], 670
with extensive lichenification [Potter & Temple], 1038
zosteriform; zosteriform lichen planus; zosteriform nevus unius lateris [Robinson], 671

Psoriatic arthritis: See Arthritis, Psoriatic

Psychodermatology
skin-brain barrier [Cohen], *768

Purpura
benign hyperglobulinemic: relation to Mikulicz's disease, sicca syndrome, and epidermolysis bullosa dystrophica [Goltz & Good], *26

Pusey, William Allen
(1865-1940): in commemoration of 20th anniversary of death [Sladkovich], *984

Pyoderma
gangrenosum? [Lorincz & Temple], 1048
sensitivity of coagulase-positive staphylococci in various forms of [Ganor & Tas], *995

Q

Querat's erythroplasia: See Erythroplasia, Queyrat

R

Raynaud's disease
systematic scleroderma with [Kurban], 767

Recklinghausen's disease
nevus anemicus with [Zeligman & Fleisher], 681

Reflection spectrophotometry: See Spectrophotometry

Reiter's disease
[Falk & Kamaya], 1039

Reserpine
urticaria pigmentosa, effects of [Harber et al.], *199

Retinopathy
ocular reactions to antimalarial drugs [Miller], *785

Rezifilm
spray surgical dressing [Kanof & Blau], 503

Rickettsial pox
pityriasis lichenoides et varioliformis acuta or? [Pollock], 1029

Ringworm
tinea capitis survey (elementary schools) in Charleston, S. C. [Terreni], *88

Roentgen rays
therapy for skin cancer: technique for improved cosmetic end-result in radiation [Gaethe], 1002
therapy: keloids treated by destruction followed by Grenz radiation [Hollander], 672

S

Sarcoidosis
[Cipollaro], 346
[Harmon], 678
[Kress], 702
[Luscombe], 353
[Roberts], 677, 678

Sarcoma: See also Fibrosarcoma
Kaposi's idiopathic hemorrhagic sarcoma [Kurban], 677

Scalp
tinea capitis survey (elementary schools) in Charleston, S. C. [Terreni], *88

Scalpel
combination comedone extractor and [Savitt], 660

SCIENTIFIC EXHIBITS: See EXHIBITS, SCIENTIFIC

Scleredema
[Potelunas], 1062

Scleredema adultorum
[Grekin], 328

Scleroderma
[Beerman & Corbett], 348
[Catinella], 517
en coup-de sabre [Bereston], 676
generalized: recent treatment programs for [Perry], *300
linear [Erickson], 864
quantitating skin mobility in [Bachman], *598
systematic, with Raynaud's phenomenon [Kurban], 676

Sclerosis
tuberous [Reed & May], 865

Scrofuloderma
tuberculous mastitis, tuberculous peritonitis, and [Malkinson & Temple], 1046

Scurvy
adult [Weary et al.], 657

Sebocystomatosis
(discussion) [Marshak], 165

Senear-Usher syndrome
[Luscombe & Colburn], 352

Sicca syndrome
benign hyperglobulinemic purpura: relation to sicca syndrome [Goltz & Good], *26

Sicklemia
with leg ulcers [Orfuss], 1028

Sinus tract formation
dental abscess with [McCluer & Burns], *941

Skin: See also Dermatology
albino: demonstration of dopa-positive melanocytes in [Hu et al.], *723
alkaline phosphatase in, of certain animals [Scheen & Winkelmann], *439
Bowen's disease of: and relationship to systemic cancer [Graham & Helwig], *738
brain barrier [Cohen], *768
carcinoma: "pH signature" of [Forakar], *392
clinical cutaneous studies: patients with spinal cord injury [Reed et al.], *379
edipermal sweat duct: electron microscopic study of [Zelickson], *106
fluocinolone acetonide in treatment of dermatoses [Robinson], 149
glabrous, atrophy of: epilating folliculitis with [Miller], 164
glabrous: epilating folliculitis of: report of case, histopathologic and nosologic study [Miller], *777
lichen myxedematosus [papular mucinosis]: further studies [Dalton et al.], *230
mobility in scleroderma: quantitating [Bachman], *598
nodular fat necrosis and pancreatic diseases [Szymanski & Bluefarb], *224
nummular and confluent papillomatosis [Mopper & Darnall], *773
pigmentary disturbances: use of reflection spectrophotometry in evaluation of [Buckley & Grum], *249
splits of epidermis: keratosis senilis with [Pensley & Sims], *951
subcorneal pustular dermatosis [Beck et al.], *627
subcorneal pustular dermatosis [Cormia], 869
surface lipids in psoriasis: acid number of [Coon et al.], *619
tumors: association of tissue mast cells and [Cawley & Hoch-Ligeti], *92
tumors, benign and malignant cutaneous, in elderly [Becker & Brennan], *262

Smallpox
eczema vaccinatum [Barsky & Bernstein], 170

SOCIETY TRANSACTIONS
Atlantic Dermatological Conference, 667
Bronx Dermatological Society, 692, 1023
Central States Dermatological Society, 159

SOCIETY TRANSACTIONS—continued
Chicago Dermatological Society, 165, 325, 1034
Cleveland Dermatological Society, 699, 1050
Detroit Dermatological Society, 327, 703
Los Angeles Dermatological Society, 329, 337, 855
Metropolitan Dermatological Society of Los Angeles, 340, 705, 862
New England Dermatological Society, 512
New York Dermatological Society, 343, 866, 1052
Philadelphia Dermatological Society, 347, 1057
San Francisco Dermatological Society, 1063

Solar dermatitis: See Light-sensitive eruptions

Spectrophotometry
reflection: use in evaluation of skin pigmentary disturbances [Buckley & Grum], *249

Spider bite: See Arachnidism

Spinal cord
injury: clinical cutaneous studies of patients with [Reed et al.], *379

Spiradenoma
eccrine: slide rule demonstration [Kopf], 692

Sporotrichosis
[Robinson & Roberts], 682

Staphylococcus
sensitivity of coagulase-positive: study in various forms of pyoderma [Ganor & Tas], *995
staphylococcic actinophytosis [botryomycosis] [Rauschkolb], 161

Steroids
therapy: lupus vulgaris — response to [Zakon & Adler], 1045

Stomatitis
nicotina [Forsey & Sullivan], *945

Strawberry hemangioma: See under Hemangioma

Suction
quantitated: production of bullae by [Slowey & Leider], 1029

Sugar
in acne: should we limit? [Cornbleet & Gigli], *968

Sulfapyridine
unusually severe acne conglobata treated with, in boy, 13 [Lorincz], 1038

Sulfur
evaluation of, in dermatologic therapy [Lorenc & Winkelmann], *761

Surgical dressing: See Dressings

Sweat glands
anhidrosis: generalized, associated with multiple myeloma [Shelley & Lehman], *903
electron microscopic study of epidermal sweat duct [Zelickson], *106
hidradenoma: malignant perianal papillary [Shenoy], *965

Syphilis
tertiary—gummata [Corson], 353

Syringe
disposable, for intralesional injections [Orentreich et al.], 848
tubex, and sterile needle unit in dermatology [Kleeberg], 846

T

Tatoo
further studies in light-sensitive eruptions [Lamb et al.], *568

Teeth
abscess of, with sinus tract formation [McCluer & Burns], *941
dental sinus [Kopf], 1024
dermatologic manifestation of dental disease [Rosenbaum], 1024

Telangiectasia
hemorrhagic, hereditary: 2 cases [Beerman & Rider], 347

Temperature change
cold in Tropics: urticarial sensitivity [Muller], *930

Tetracycline
acne: long-time therapy [Cornbleet], *414

Tinea: See Ringworm

Tissue mast cells: See Mast cells

Tongue
chronic ulcerative condition of tongue in patient with lichen sclerosis et atrophicus [Sullivan], 688
lymphangioma of [Brubaker], 337

Toxicity
agents in occupational environment: some unusual allergic reactions in industry [Key], *3
in vesicular eruptions [Levitt], 855

Toxicology
of topical dermatologic preparations: case in which 2 ounces of phenol-saline preparation were swallowed [Leider & Moser], *928

Triamcinolone
acetonide cream in double-blind test [Polano], *214
granuloma annulare treated with intralesional injections of triamcinolone [Franks & Weidman], 1030
psoriasis treated with, injections: eighteen-month follow-up study [Gerard], 502
suspension in alopecia areata [Gombiner & Malkinson], 1004

Trichoepithelioma
basal-cell epithelioma [Fitzpatrick], 513

Trichophyton
tonsurans infection resistant to griseofulvin [Michaelides et al.], *988

Trichophytosis: See Ringworm

Tuberculosis
chronic infectious granuloma (tuberculosis?) [Cormia], 343
scrofuloderma, tuberculous mastitis, and tuberculous peritonitis [Malkinson & Temple], 1046

Tuberous sclerosis: See Sclerosis, tuberous

Tumors
cutaneous, benign and malignant, in elderly [Becker & Brennan], *262
follicular infundibulum: [Mehregan & Butler], *924
glomus: multiple nontender: report of case with 33 lesions [Gordon & Hyman], *640
skin: association of tissue mast cells and [Cawley & Hoch-Ligeti], *92

Twins
alopecia areata in [Barsky & Gigli], 170

Tyrosine
and phenylalanine in collagen diseases: urinary excretion of general intermediary metabolites of, in patients with collagen disease and liver disease [Nishimura et al.], *644

U

Ulcers
leg: sicklemia with [Orfuss], 1028

Ulerythema ophryogenes
chronic folliculitis and [Ellis & Bundick], 667
keratosis pilaris, acrocyanosis, and [Hurley & English], 1062

Urine
histamine: See under Histamine
urinary excretion of general intermediary metabolites of tyrosine in patients with collagen disease and liver disease [Nishimura et al.], *644

Urticaria: See also Allergy
chronic, due to mold hypersensitivity: study in cross-sensitization and autoerythrocyte sensitization [Shelley & Florence], *549
cold in Tropics: urticarial sensitivity to [Muller], *930
occupational: some unusual allergic reactions in industry [Key], *3
pigmentosa and generalized mastocytosis: polymyxin B treatment [Asboe-Hansen], *893

Urticaria—continued
pigmentosa: associated with diffuse bone lesions [Franks & Weidman], 1030
pigmentosa, effects of reserpine [Harber et al.], *199
pigmentosa [Griesemer], 515
pigmentosa, histaminuria in: clinical study and review of recent literature with definition of mastocytosis syndrome [Demis et al.], *127
pigmentosa with small-bowel involvement [Fitzpatrick], 515

Uterus
carcinoma: remission of dermatomyositis following surgery for [Bluefarb et al.], 168

V

Vaccinia
eczema vaccinatum [Barsky & Bernstein], 171

Varicella
herpes zoster and, in identical twins [Bereston & Robinson], 503

Vasculitis
allergic [Torre], 343
[Costello], 876
malignant, [dermatitis nodularis necrotica [Blumenthal], 699

Verrucous nevus: See Nevus, verrucous

Vesicles
toxic vesicular eruption [Levitt], 855

Virus
wart: isolation of in tissue culture: successful reinoculation into humans [Mendelson & Kligman], *559

Vitiligo
Addison's disease with vitiligo [Robinson & Harmon], 682
total vitiligo, total alopecia, and nail changes [Lerner], *98

Von Recklinghausen's disease: See Recklinghausen's disease

W

Warts
virus in tissue culture: isolation of: successful reinoculation into humans [Mendelson & Kligman], *559

Weber-Christian disease
relapsing febrile nodular nonsuppurative panniculitis [Shatin], 1053

X

Xanthomatosis
hypercholesterolemic, secondary to biliary cirrhosis [Sauter], 867

Xeroderma pigmentosum
features uncommon to: case report with study of 92 biopsy specimens [Goldman et al.], *272

ARCHIVES OF

DERMATOLOGY

VOLUME 84

JULY THROUGH DECEMBER, 1961

AMERICAN MEDICAL ASSOCIATION Publication

AUTHOR AND TITLE INDEX TO VOLUME 84

In this Index in alphabetical order are the names of the authors of all articles and the presenters of cases in Society Transactions, followed by the title of the article or case presented and the page numbers on which their articles or cases begin. The asterisk (*) preceding the page number indicates an original article, case report, review article, special article, or scientific exhibit. Page numbers in the Index refer to bold face (dark) numbers in the text.

For Subject Index see page [267-**1081**].

A

Aaron, J. N., and Eddy, D. D.: Mycosis fungoides, 885

Aguadé, J. P.: See Vilanova, X., jt. auth.

Altman, J., and Perry, H. O.: Variations and course of lichen planus, *179

Anderson, P. C.: Familial transverse nasal groove, 316
Problems in simple two-possibility counting study, *99

Andrews, G. C.: Acne, *711

Anekoji, K., and Irisawa, K.: Five cases of lichen amyloidosis, *759

Anglin, J. H., Jr.: See Everett, M. A., jt. auth.

Appel, B.: Nevus of ota. nevus flammeus. neurotic excoriations or acne scarring, 157

Arnold, H. L., Jr.: See Grauer, F. H., jt. auth.
Lichen planus erythematosus: review, and report of two cases, *741

B

Baer, T. W.: Epidermolysis bullosa hereditaria treated with antimalarials, 503

Bailey, W. E.: See Szymanski, F. J., jt. auth.

Baler, G. R.: Case for diagnosis (epidermolysis bullosa hereditaria? porphyria cutanea tarda?), 155

Balsam, T.: See Kravetz, R. E., jt. auth.

Barker, L. P.: Case for diagnosis: angioma serpiginosum, 529
Case for diagnosis: pigmentation and panniculitis following injection of iron, 528
Diagnosis: angioma serpiginosum, 875
Diagnosis: mucinous degeneration of buccal mucosa, 883

Barsky, S., and Bernstein, R.: Relapse of granuloma inguinale, 339
and Kroll, C. L.: Lepromatous leprosy, 862

Bauer, M. F., and Hewitt, W. L.: Pseudomonas aeruginosa-contaminant or pathogen? *410

Baumal, A., and Kantor, I.: Urticaria and dermographism with Mediterranean fever: report of case, *630
Kantor, I., and Sachs, P.: Psoriasis of lips: report of case, 669

Bean, W. B.: Tower of babel 1961 (editorial), 541

Berghorn, B. M.; Munger, B. L., and Helwig, E. B.: Eccrine spiradenoma: pharmacologic study, *434

Berman, H. H.: See Noé, O., jt. auth.

Bernstein, R.: See Barsky, S., jt. auth.
See Bluefarb, S. M., jt. auth.
See Cornbleet, T., jt. auth.
See Falk, A. B., jt. auth.

Bever, A. T.: See Everett, M. A., jt. auth.

Bielinski, S.: See Falk, A. B., jt. auth.

Blank, H.: See Fisher, B. K., jt. auth.

Bluefarb, S. M.: See Wallk, S., jt. auth.
and Sankstone, A.: Systemic lupus erythematosus, 335
Wallk, S., and Bernstein, R.: Lupus erythematosus, 335
Wallk, S., and Bernstein, R.: Von Recklinghausen's disease with lymphangioma circumscriptum, 863
Wallk, S., and Kroll, C. L.: Blue nevus, 865.
Wallk, S., and Kroll, C. L.: Case for diagnosis: lupus erythematosus profundus? 860
Wallk, S., and Sankstone, A.: Localized hyperhidrosis, 861
Wallk, S., and Sankstone, A.: Lupus erythematosus, 860

Bond, G. M.: See Cawley, E. P., jt. auth.

Boyle, A. J.: See Yee, H. Y., jt. auth.

Braverman, I. M., and Lerner, A. B.: Diffuse malignant proliferation of vascular endothelium: possible new clinical and pathological entity, *22

Brock, J. M.: Microsporum nanum: cause of tinea capitis, 504

Brodie, S.: See **Harber, L.**, jt. auth.

Brodkin, R. H.; Weinberg, M., and Leider, M.: Generalized cytomegalic inclusion disease: general and dermatologic aspects with report of case, *650

Brown, M. E.: Dermatologic suture clip, 663

Brown, R. P.: See **Wilkinson, R. D.**, jt. auth.

Brubaker, M. M.: Idiopathic atrophoderma of Pasini and Pierini, 523

Bryan, H. G.: See **Fosnaugh, R. P.**, jt. auth.

Bunch, L. W., and Tilley, J. C.: Pityriasis rosea: histologic and serologic study, *79

Burdick, K. H.: See **LoCricchio, J.**, jt. auth.

Burks, J. W.: See **Slepyan, A. H.**, jt. auth.

Burns, R. E.: "Little curette": useful adjunct in treatment of epitheliomata, 662

Butterworth, T., and Strean, L. P.: Synergism of salicylates and steroids, *964

C

Cahn, M. M.; Levy, E. J., and McMillen, J. A.: Nature and incidence of photosensitivity reactions to demethylchlortetracycline, *485

Canizares, O.: Case for diagnosis: cystic lesion of nose? 1048
Diagnosis: dermatomyositis associated with squamous cell carcinoma of nasopharynx with metastases on neck, 537
Light-sensitivity eruption? lupus erythematosus in fixture destroyed type. lymphocytic infiltration of skin, 878, (vol. 83); correction, 540
Melanotic freckle (Hutchinson), 148
and Kopf, A. W.: Diagnosis: nevus of ota, 1043
and Shatin, H.: Case for diagnosis: variant of Weber-Christian disease, 1044
and Shatin, H.: Diagnosis: actinomycosis, 1046

Caplan, R. M.: See **Montes, L. F.**, jt. auth.

Cardon, N.: See **Orfuss, A.**, jt. auth.

Castillo, R.: See **Vilanova, X.**, jt. auth.

Cawley, E. P.: See **Vinton, R. A., Jr.**, jt. auth.
Hoch-Ligeti, C., and Bond, G. M.: Eccrine sweat glands of patients with uremia, *889

Chargin, L.: See **Silver, H.**, jt. auth.

Chernosky, M. E.: Dental conditions of diagnostic aid in mucocutaneous medicine, *115
and Guin, J. D.: necrobiosis lipoidica in three-year-old girl, 135

Chinn, H. D.: See **Kingery, F. A. J.**, jt. auth.

Cipollaro, A. C.: Hereditary hemorrhagic telangiectasia, 149

Clark, R. F.: Localized urticaria due to enterobius vermicularis, 1026

Clark, W. H., Jr.: See **Fine, R. M.**, jt. auth.

Cockerell, E. G.; Freeman, R. G., and Knox, J. M.: Changes after prolonged exposure to sunlight: study of factors influencing actinic degeneration, *467

Coffey, C. M.: See **Everett, M. A.**, jt. auth.

Cohen, I.; Levy, E., and Schreiber, H.: Alopecia neoplastica due to breast carcinoma, *490

Cohen, M. M.: Simple and rapid method for preserving treponema pallidum for demonstration purposes, 672

Cohen, W.: See **Goldman, L.**, jt. auth.

Convit, J.: See **Kerdel-Vegas, F.**, jt. auth.
Kerdel-Vegas, F., and Gordon, B.: Rhinoscleroma: review and presentation of case, *55

Cormia, F. E.: Case for diagnosis, 531
Case for diagnosis: dermatitis herpetiformis? pemphigus? 532
Diagnosis: systemic lupus erythematosus? 535
and Ernyey, A.: Circulatory changes in alopecia: preliminary report, with summary of cutaneous circulation of normal scalp, *772

Cornbleet, T., and Bernstein, R.: Bromhidrosis, 861

Coskey, R. J.; Fosnaugh, R. P., and Fine, G.: Lipedematous alopecia, *619

Costello, M. J.: Diagnosis: pemphigus limited to oral mucosa for eight years, 534
Diagnosis: sarcoidosis with folliculopapular lesions, 536
Diagnosis: systemic lupus erythematosis, 533
Diagnosis (two cases): leprosy (tuberculoid type) and hansenosis (lepromatous type), 538

Couperus, M.: Malignant melanoma in infant with metastases developing in giant nevus, 1041
Multiple, aggressive, calcifying epitheliomas (Malherbe tumor), 1042

Crounse, R. G.: See Fisher, B. K., jt. auth.

Curtis, A. C.: See Montes, L. F., jt. auth.

Curtis, G. H.: See Wilkinson, R. D., jt. auth.

D

Daffer, E.: See Everett, M. A., jt. auth.

Daniels, F., Jr.: Plastic materials for ultraviolet protection, *392

DeFeo, C. P.: Diagnosis: pemphigus erythematosus with pulmonary TB, 877

Denko, C. W.: See Yee, H. Y., jt. auth.

DeOreo, G. A., and Stoughton, R. B.: Monoamine oxidase and catechol O-methyl transferase inhibitors: effect of intradermal injection on exogenous and endogenous norepinephrine, *972

Derbes, V. J.: See Fine, R. M., jt. auth.
See Wise, L. J., Jr., jt. auth.

Domonkos A. N.: Case for diagnosis: nevoid basal cell epithelioma, 530
Diagnosis: successful removal of large calcium plaques in skin in porphyria cutanea tarda and poikilodermatomyositis, 884
Riehl's melanosis, 874

Doneff, R. H.: See Gray, H. R., jt. auth.

Dostrovsky, A., and Even-Paz, Z.: Seasonal factors in pathogenesis of skin diseases, *750

Dougherty, J. W.: Diagnosis: herpes gestationis, 870

Duemling, W. W., and Norman, C. W.: Mucocutaneous changes: manifestations of blood dyscrasias and hemorrhagic disturbances, *273

E

Eanet, L.: See Pascher, F., jt. auth.

Eddy, D. D.: See Aaron, J. N., jt. auth.

Ede, M.: See Welsh, A. L., jt. auth.

Einbinder, J. M.: See Weakley, D. R., jt. auth.

Ellis, F. A.: See Sullivan, M., jt. auth.

Emide, R. N.: Sarcoptic mange in human: report of epidemic of 10 cases of infection by Sarcoptes scabiei, variety canis, *633

Engel, M. F.: Monilial granuloma with hypergammaglobulinemia: treatment with amphotericin B and dermabrasion, *192

Epstein, J. H., and Maroney, M. W.: Lymphocytic leukemia, 885

Epstein, W. L.; Sullivan, F. J., and Ferguson, E. H.: Histamine analogue that does not cause itching, *290

Ernyey, A.: See Cormia, F. E., jt. auth.

Esoda, E. C. J.: See Roe, D. A., jt. auth.

Evans, H. E.: Unusual facial granulomas occurring in child: report of case, *261

Even-Paz, Z.: See Dostrovsky, A., jt. auth.

Everett, M. A.: Protection from sunlight in vitiligo, *997
and Miller, J. V.: Coal tar and ultraviolet light: II. cumulative effects, *937
Anglin, J. H., Jr., and Bever, A. T.: Ultraviolet induced biochemical alterations in skin: I. urocanic acid, *717
Daffer, E., and Coffey, C. M.: Coal tar and ultraviolet light, *473

F

Falk, A. B.; Bielinski, S., and Bernstein, R.: Blastomycosis, 337
Bielinski, S., and Fox, J. M.: Vitiligo with Koebner phenomenon: lichen striatus, 859

Felsher, J. M.: Quick look at dermatoglyphics, *199

Felsher, Z., and Goldblatt, M.: Macular atrophy (syphilitic), 858

Ferguson, E. H.: See Epstein, W. L., jt. auth.
and Massing, A.: Partial albinism, 696

Ferreira-Marques, J.: Sensory imbalance in alopecia mucinosa, *302

Fine, G.: See Coskey, R. J., jt. auth.

Fine, R. M.; Derbes, V. I., and Clark, W. H., Jr.: Blue rubber bleb nevus, *802

Fisher, A. A.: Abstract of report on medicolegal aspects of testing for penicillin sensitivity, 331

Fisher, B. K.; Smith, J. G., Jr.; Crounse, R. G.; Roth, F. J., Jr., and Blank, H.: Verrucous epidermophytosis: its response and resistance to griseofulvin, *375

Fisher, S. B.: North American blastomycosis, 145

Fitzpatrick, T. B.: Alopecia of unknown cause, 687
Ataxia—telangiectasia, 1051
Epiloia (adenoma sebaceum, tuberous sclerosis epilepsy), 1052

Fleischmajer, R., and Hyman, A. B.: Clinical significance of derangements of tryptophan metabolism: review of pellagra, carcinoid, and H disease, *563

Flesch, P.: See **Roe, D. A.,** jt. auth.

Fogel, N. A.: See **Graham, J. H.,** jt. auth.

Folan, D. W., Jr.: Case for diagnosis: hyperpigmentation of skin, 160
Hypertrophic lichen planus, 159

Fosnaugh, R. P.: See **Coskey, R. J.,** jt. auth.
Bryan, H. G., and Orders, R. L.: Pyridoxine in treatment of herpes gestationis, *90

Fox, J. M.: See **Falk, A. B.,** jt. auth.
See **Slepyan, A. H.,** jt. auth.

Fox, L.: See **Silver, H.,** jt. auth.

Francis, R. D.: See **Wright, A. D.,** jt. auth.

Freeman, R. G.: See **Cockerell, E. G.,** jt. auth.
See **Knox, J. M.,** jt. auth.

G

Gephardt, M. C., and Hanlon, T. J.: Blastomycosis, 660

Getzler, N. A.; Linton, W., and Jegyud, A. T.: Atypical cutaneous tuberculosis, *439

Gever, S. G.: See **Knox, J. M.,** jt. auth.

Goldblatt, M.: See **Felsher, Z.,** jt. auth.

Goldman, L.: Cancer immunology: importance of skin for investigative studies, *948
Reactions of autoinoculation for recurrent herpes simplex, 1025
Cohen, W., and Palermo, J.: Podophyllin lotion for warts, 505

Goltz, R. W.: See **Peterka, E. S.,** jt. auth.

Gordon, B.: See **Concit, J.,** jt. auth.

Gorlin, R. J.: See **Witkop, C. J., Jr.,** jt. auth.

Graham, J. H.; Fogel, N. A., and Lathrop, R. G.: Leukoderma acquisitum centrifugum (halo nevus), 689

Grauer, F. H., and Arnold, H. L., Jr.: Seaweed dermatitis: first report of dermatitis-producing marine alga, *720
and Pinski, J. B.: Cholinergic urticaria, 346; correction, 677
and Sommer, A. F. J.: Tinea nigra, 345

Gray, H. R.; Wolf, R. L., and Doneff, R. H.: Evaluation of flurandrenolone: new topical corticosteroid, *18

Greenberg, B. G.: See **Hitch, J. M.,** jt. auth.
See **Welton, D. G.,** jt. auth.

Grekin, J. N.: See **Schwartz, O. D.,** jt. auth.

Griesemer, R.: Urticaria pigmentosa, 1054
Urticaria pigmentosa treated with reserpine, 1054

Groothuis, F. B. G.: See **Jansen, I. H.,** jt. auth.

Gross, P.: Giant keratoacanthoma—recurrent, 683
Parapsoriasis guttata with varioliform lesions, 682

Gross, S.: See **Samitz, M. H.,** jt. auth.

Guer, J. E.: See **Lloyd, K. M., II,** jt. auth.

Guin, J. D.: See **Chernosky, M. E.,** jt. auth.
See **Lillie, G. V.,** jt. auth.

H

Halpern, W.: Alopecia areata with loss of dark hair only, 162

Hammer, C. J.: See **Pommerening, R. A.,** jt. auth.

Hanlon, T. J.: See **Gephardt, M. C.,** jt. auth.

Hansen, W.: See **Kulchar, G.,** jt. auth.

Harber, L., and Tromovitch, T.: Porphyria cutanea tarda, 165
Popkin, G., and Brodie, S.: Cases 3 and 4: porphyria cutanea tarda, 165

Hasegawa, J.: See **Lazar, M. P.,** jt. auth.

Haserick, J. R.: See **Madison, J. F.,** jt. auth.

Headington, J. T.: Mixed tumors of skin: eccrine and apocrine types, *989

Heldeman, M. D.: See **Stritzler, C.,** jt. auth.
and Skolnick, M.: Erythema nodosum and pulmonary tuberculosis in two sisters: report of case, *402

Helm, F.: Nodular cutaneous elastosis with cysts and comedones (Favre-Racouchot syndrome): report of case, 666

Helwig, E. B.: See **Berghorn, B. M.,** jt. auth.
See **Hirsch, P.,** jt. auth.
See **Johnson, W. C.,** jt. auth.

Hewitt, W. L.: See **Bauer, M. F.,** jt. auth.

Hirsch, P., and Helwig, E. B.: Chondroid syringoma: mixed tumor of skin, salivary gland type, *835

Hitch, J. M.: Tinea nigra palmaris: report of case originating in North Carolina, 318
and Greenberg, B. G.: Adolescent acne and dietary iodine, *898

Hoch-Ligeti, C.: See **Cawley, E. P.,** jt. auth.

Hofer, R.: See **Jadassohn, W.,** jt. auth.

Holter, F. R.: See **Urbach, F.,** jt. auth.

Honeycutt, W. M.: See **Taylor, W. B.,** jt. auth.

Hudson, E. H.: Historical approach to terminology of syphilis, *545

Hunter, F. M.: See **Wise, L. J., Jr.,** jt. auth.

Hyman, A. B.: See **Fleischmajer, R.,** jt. auth.
See **Strick, S.,** jt. auth.
Case 6: porokeratosis of Mibelli, 168
and Leider, M.: Erythroplasia of female genitalia: report of two cases of benign form (plasmacytosis pudendi), *381

I

Irisawa, K.: See **Ankoji, K.,** jt. auth.

J

Jacobs, M.: See **Noé, O.,** jt. auth.

Jadassohn, W., and Hofer, R.: Projection of colored slides on large screen, 1030

Jansen, I. H., and Groothuis, F. B. G.: Pseudosyphilis papulosa, *639

Jegyud, A. T.: See **Getzler, N. A.,** jt. auth.

Jenkins, J. H., and Narva, W. M.: Secondary syphilis, 695

Jensen, A. K.: Acne rosacea? 522

Jillson, O. F.: See **Starke, J. C.,** jt. auth.

Johnson, S. A. M.: See **Woods, S. M.,** jt. auth.

Johnson, W. C., and Helwig, E. B.: Solitary mastocytosis (urticaria pigmentosa), *806

Jones, S.: See **Rostenberg, A., Jr.,** jt. auth.

Juhlin, E. A.: See **Weakley, D. R.,** jt. auth.

K

Kallos, A.: See **Reiss, F.,** jt. auth.

Kantor, I.: See **Baumal, A.,** jt. auth.

Kaufman, J. J.: Topical methylprednisolone and hydrocortisone compared, *637

Keddie, F. M.: See **Sternberg, T. H.,** jt. auth.

Keech, M. K.: See **Yee, H. Y.,** jt. auth.

Kelcec, L. C.: See **Kostant, G. H.,** jt. auth.

Kerdel-Vegas, F.: See **Convit, J.,** jt. auth.
Convit, J., and Soto, J. M.: Treatment of granuloma inguinale with triacetyloleandomycin: report of case, *248

Kierland, R. R.: See **West, J. R.,** jt. auth.

Kingery, F. A. J.; Chinn, H. D., and Saunders, T. S.: Generalized pustular psoriasis, *912

Kirschbaum, J. O.: See **Shelley, W. B.,** jt. auth.

Kirschenbaum, M. B.: Sarcoidosis—tuberculosis relationship: case report, *109

Klauder, J. V.: Alopecia areata: (father and son), 694

Kligman, A. M.: Why do nails grow out instead of up? *313

Knox, J. M.: See **Cockerell, E. G.,** jt. auth.
Gever, S. G.; Freeman, R. G., and Whitcomb, F.: Atypical acid-fast organism infection of skin, *386

Kopf, A. W.: See **Canizares, O.,** jt. auth.

Kostant, G. H.; Landy, S. E., and Kelcec, L. C.: Long-term serologic studies with treponemal procedures, *310

Krakowski, A.: See **Ziprkowski, L.,** jt. auth.

Kravetz, R. E., and Balsam, T.: Treatment of psoriasis with mercaptopurine, *597

Kroll, C. L.: See **Barsky, S.,** jt. auth.
See **Bluefarb, S. M.,** jt. auth.

Kulchar, G., and Hansen, W.: Mucha-Habermann disease or parapsoriasis guttata, 887

Kutscher, A. H., and Silvers, H. F.: Triamcinolone acetonide in treatment of oral mucous membrane: II continued studies using powder adhesive vehicle, 1035
and Zegarelli, E. V.: Use of new adhesive powder vehicle (orahesive) for application of drugs to lesions of mouth, 1033

L

Landy, S. E.: See Kostant, G. H., jt. auth.

Lashinsky, A. M.: Lichen planus occurring in psoriasis, 508

Laskas, J. J.: Kaposi's hemorrhagic sarcoma, 691

Lathrop, R. G.: See Graham, J. H., jt. auth.

Lazar, M. P.; Livingstone, W.; Levinson, E., and Hasegawa, J.: Circumscribed atrophy, 858

Leider, M.: See Brodkin, R. H., jt. auth.
See Hyman, A. B., jt. auth.
Cases 1 and 2: mycosis fungoides, 163
Mycosis fungoides, 163

Lenahan, G. T.: Case for diagnosis (scleredema adultorum?), 343
and Service, W. W.: Pemphigus vulgaris, 343

Lerner, A. B.: See Braverman, I. M., jt. auth.

Levan, N. E.: Eosinophilic granuloma of skin (granuloma faciale), 150

Lever, W. F.: Case for diagnosis: angiokeratoma corporis diffusum universale (Fabry's disease), 161

Levinson, E.: See Lazar, M. P., jt. auth.

Levit, F.: Cellophane tape stripping: effects on guinea pig skin, *609

Levy, E.: See Cohen, I., jt. auth.

Levy, E. J.: See Cahn, M. M., jt. auth.
and Schetman, D.: Cyclic neutropenia, *429

Lewis, G. M.: Diagnosis: creeping eruption, 1048
Scleroderma; lichen sclerosis et atrophicus?, 146

Lillie, G. V., and Guin, J. D.: Penile horn, 322

Linton, W.: See Getzler, N. A., jt. auth.

Lipnik, M. J.: Traumatic alopecia from brush rollers, *493

Litin, E. M.: See West, J. R., jt. auth.

Litt, J. Z.: See Schonberg, I. L., jt. auth.

Livingston, W.: See Lazar, M. P., jt. auth.

Lloyd, K. M., II, and Guer, J. E.: Two clinical variations in epidermophyton infections, 320

LoCricchio, J., and Burdick, K. H.: Lupus erythematosus profundus with positive Kveim test, 521

Loewenthal, L. J. A.: Pathogenesis of milaria: role of sodium chloride, *2; correction, 677

Loewenthal, K.: Appraisal of Sabouraud's, cycloheximide, and oxgall agars, *256

Long, P. I., Jr.: Behavior of psoriatic and normal skin transplants, *593

Lynch, F. W.: See Peterka, E. S., jt. auth.

Mc

McCann, D. S.: See Yee, H. Y., jt. auth.

McFadden, A. W.: Skin disease in Cuna Indians: dermatology and geography of San Blas coast of Panama, *1013

McMillen, J. A.: See Cahn, M. M., jt. auth.

M

Madison, J. F., and Haserick, J. R.: Lichen myxedematosus, 517

Maliner, J.: See Perry, D. J., jt. auth.

Mandel, E. H.: Diagnosis: paroxysmal cold hemoglobinuria? 880

Maroney, M. W.: See Epstein, J. H., jt. auth.

Massachusetts General Hospital, Department of Dermatology: Ocular pemphigus, 1055

Matz, M. H.: Sycosis vulgaris—lupoid type, 1056

May, S. B.: Case for diagnosis: marked erythroderma of head and neck with histologic pattern of sarcoid, 527

Meagher, G. B.: See Rostenberg, A., Jr., jt. auth.

Medansky, R. S., and Woloshin, A. A.: Darier's disease: evaluation of its neuropsychiatric component, *482

Mehregan, A. H.: See Staricco, R. G., jt. auth.
Molluscum contagiosum: clinicopathologic study, *123

Mescon, H.: Dermatitis herpetiformis, 684
Keratosis follicularis, 686

Michelson, H. E.: Minnesota Dermatological Society honors Dr. Montgomery, *607

Miller, J. L.: Chronic radiodermatitis: results of treatment of basal and squamous cell epitheliomas with electrodesiccation and curettage, 1050
Reticulum cell sarcoma, 1050

Miller, J. V.: See Everett, M. A., jt. auth.

Mitchell, D. E.: See Vineyard, M. R., jt. auth.

Monash, S.: Skin color: correlation of reflectance measurement and clinical appearance, *654

Montes, L. F.; Caplan, R. M.; Riley, G. M., and Curtis, A. C.: Fox-Fordyce disease: endocrinological study, *452

Moschella, S. L.: Report of malignant melanoma of skin in sisters, 1024

Mount, G. E.: See Perry, D. J., jt. auth.

Munger, B. L.: See Berghorn, B. M., jt. auth.

N

Narva, W. M.: See Jenkins, J. H., jt. auth.

Nataro, F. R.: See Walzer, R. A., jt. auth.

Naylor, D.: Seboacanthoma, *642

Nelson, C. T.: See Steigleder, G. K., jt. auth.
Diagnosis: progressive lipodystrophy; chronic urticaria and arthralgia, 882
Hodgkin's disease, 149
Reticulum-cell sarcoma, 147

Neves, H.: Fungistatic and fungicidal tests with ethyl alcohol, *790

Newman, B. A., and Obermayer, M. E.: Generalized cutaneous lymphoma supervening upon parapsoriasis and, or poikiloderma atrophicans vasculare, 524

Noé, O.; Jacobs, M., and Berman, H. H.: Griseofulvin (Grifulvin) in treatment of violaceum ringworm of scalp: daily versus intermittent dosage schedules, *645

Norman, C. W.: See Duemling, W. W., jt. auth.

O

Obermayer, M. E.: See Newman, B. A., jt. auth.

Orders, R. L.: See Fosnaugh, R. P., jt. auth.

Orfuss, A., and Cardon, N.: Diagnosis: scleredema adultorum, 881

Orkin, M., and Schwartzman, R. M.: Comparative study of canine and dermatology: II. cutaneous tumors—pigmented nevus and malignant melanoma, *227

P

Palermo, J.: See Goldman, L., jt. auth.

Palitz, L. L.: See Reiss, F., jt. auth.

Pascher, F., and Eanet, L.: Diagnosis: scleredema "adultorum" (Buschke) in child, 853
and Schiff, G.: Diagnosis: idiopathic hyperlipemic xanthomatosis with psoriasis, 854

Peck, S. M.: Diagnosis: amyloidosis cutis (treated with locally tatooed hydrocortisone), 872
Diagnosis: Darier's disease, 868
Diagnosis: psoriasis of lips, 872

Perry, D. J.; Mount, G. E.; Wright, E. T., and Maliner, J.: Study of Galvanic Skin Response in atopic dermatitis, *496

Perry, H. O.: See Altman, J., jt. auth.
See West, J. R., jt. auth.

Peterka, E. S.; Lynch, F. W., and Goltz, R. W.: Association between Bowen's disease and internal cancer, *623

Peters, H. A.: See Woods, S. M., jt. auth.

Pinski, J. B.: See Grauer, F. H., jt. auth.

Pommerening, R. A., and Hammer, C. J.: Familial incidence of pemphigus, 506

Popkin, G.: See Harber, L., jt. auth.

R

Raab, W. P.: See Steigleder, G. K., jt. auth.

Reiss, F.; Palitz, L. L., and Kallos, A.: Dermatological application of mepivacaine (Carbocaine): new local anesthetic, *245

Riley, G. M.: See Montes, L. F., jt. auth.

Riley, K. A.: Failure of treatment of acne vulgaris with hydrochlorothiazide, 318

Roe, D. A.; Flesch, P., and Esoda, E. C. J.: Present status of epidermal mucopolysaccharides, *213

Rollins, T. G.: Case for diagnosis: "portwine stain" plus erythema annulare centrifugum? 696

Rosenbaum, E. M., and Strickland, M. A.: Xanthoma dissemination, 334

Rosenthal, T.: Aulus Cornelius Celsus: his contributions to dermatology, *613

Rostenberg, A., Jr.; Jones, S., and Meagher, G. B.: Rothmund's syndrome (poikiloderma congenitale of Thomson), 865

Roth, F. J., Jr.: See Fisher, B. K., jt. auth.

Rowe, L.: Case for diagnosis: herpetiform eruption? 1039

S

Sachs, P.: See Baumal, A., jt. auth.

Samitz, M. H., and Gross, S.: Effects of hexavalent and trivalent chromium compounds on skin, *404

Samman, P. D.: Ventral nail, 1030

Sankstone, A.: See Bluefarb, S. M., jt. auth.

Sarkany, I.: Circulating antibody formation in lupus erythematosus, *372

Saunders, T. S.: See Kingery, F. A. J., jt. auth.

Porokeratosis: disease of epidermal eccrine-sweat-duct units, *980

Schetman, D.: See Levy, E. J., jt. auth.

Schiff, G.: See Pascher, F., jt. auth.

Schiff, M.: Jamarsan therapy of pemphigus erythematosus: observations on 2 patients treated with Brazilian regimen, *103

Schloeder, F. X.: Unusual toxic reaction to amodiaquine (Camoquin): report of case, *601

Schneiderman, R. N.: Allergic contact dermatitis due to Alpha-Keri, 511

Scholtz, J. R.: Lupoid papular tuberculids (lupus miliaris disseminatus faciei), 152

Topical therapy of psoriasis with fluocinolone acetonide, 1029

Schonberg, I. L., and Litt, J. Z.: Bowen's disease of palm (treated with Grenz rays), 144

Schreiber, H.: See Cohen, I., jt. auth.

Schreiber, M. M., and Tilley, J. C.: Cutis laxa, *266

Schwartz, O. D., and Grekin, J. N.: Diagnosis: mycosis fungoides, 867

Schwartzman, R. M.: See Orkin, M., jt. auth.

Scott, R. A.: See Vineyard, M. R., jt. auth.

Service, W. W.: See Lenahan, G. T., jt. auth.

Shames, J. M.: See Wise, L. J., Jr., jt. auth.

Shatin, H.: See Canizares, O., jt. auth.

Shelley, W. B., and Kirschbaum, J. O.: Generalized pustular psoriasis, *73

Silva, A., Jr.: See Steigleder, G. K., jt. auth.

Silver, H.; Chargin, L., and Fox, L.: Diagnosis: granuloma faciale with eosinophils, 857

Silvers, H. F.: See Kutscher, A. H., jt. auth.

Skolnick, M.: See Heldeman, M. D., jt. auth.

See Stritzler, C., jt. auth.

Slepyan, A. H.; Burks, J. W., and Fox, J.: Persistent denudation of scalp in cicatricial pemphigoid: treatment by skin grafting, *444

Smith, J. G., Jr.: See Fisher, B. K., jt. auth.

Soifer, A. A.: Case for diagnosis: dermatitis herpetiformis? dermatitis medicamentosa (penicillin)? toxic bullous eruption? 158

Sommer, A. F. J.: See Grauer, F. H., jt. auth.

Sommers, S. C.: See Tedeschi, L. G., jt. auth.

Soto, J. M.: See Kerdel-Vegas, F., jt. auth.

Spencer, M. C.: Hydroquinone bleaching, *131

Staricco, R. G., and Mehregan, A. H.: Nevus elasticus and nevus elasticus: vascularis, *943

Starke, J. C., and Jillson, O. F.: Photosensitization to coal tar: cause of psoriatic erythroderma, *935

Steigleder, G. K., and Raab, W. P.: Lichen sclerosus et atrophicus, *219

Silva, A., Jr., and Nelson, C. T.: Histopathology of Kveim test, *828

Stein, S.: See Witten, V. H., jt. auth.

Steiner, K.: Cutaneous mast cells in carcinoid, *477

Stephens, F. E.: See Ward, J. H., jt. auth.

Sternberg, T. H., and Keddie, F. M.: Immunofluorescence studies in tinea versicolor: preliminary report, *999

Stevanovic, D. V.: Keratoacanthoma in xeroderma pigmentosum, *53

Stoughton, R. B.: See DeOreo, G. A., jt. auth.

Strauss, J. S.: Angiokeratoma, 1053
Case for diagnosis: vasculitis (Shwartzman reaction?), bronchiectasis and emphysema, 686

Strean, L. P.: See Butterworth, T., jt. auth.

Strick, S., and Hyman, A. B.: Lichen planus in site of previous zoster eruption, 509

Strickland, M. A.: See Rosenbaum, E. M., jt. auth.

Stritzler, C.: Diagnosis: leukemia cutis with no systemic involvement, 855
Xanthoma tendinosum, 334
Skolnick, M., and Heldeman, M. D.: Diagnosis: herpes zoster in patient with myelogenous leukemia, 855
Skolnick, M., and Heldeman, M. D.: Diagnosis: incontinentia pigmenti (bullous stage), 856

Stroud, G. M.: Recurrent herpes simplex and steroid dosage: patient with nephrotic syndrome due to primary systemic amyloidosis, *396; correction, 1068

Sullivan, F. J.: See Epstein, W. L., jt. auth.

Sullivan, M., and Ellis, F. A.: Facial colloid degeneration in plaques, *816

Sulzberger, M. B., and Witten, V. H.: Thin pliable plastic films in topical dermatologic therapy, 1027

Swift, S.: Folie à deux: simultaneous alopecia areata in husband and wife, *932

Szymanski, F. J., and Bailey, W. E.: Nodular dermal allergid, 341
and Bailey, W. E.: Tattoo reaction, 340

T

Taylor, W. B., and Honeycutt, W. M.: Progressive lipodystrophy and lipoatrophic diabetes: review of literature and case reports, *31

Tedeschi, L. G., and Sommers, S. C.: Oxytalan fibers in sclerosing hemangiomas, *128

Tilley, J. C.: See Bunch, L. W., jt. auth.
See Schreiber, M. M., jt. auth.

Tolmach, J. A.: Case 5: disseminated granuloma annulare (atypical), 167
Diagnosis: cutaneous calcinosis associated with Raynaud's disease, 879

Tromovitch, T.: See Harber, L., jt. auth.

Tuffanelli, D. L., and Winkelmann, R. K.: Systemic scleroderma: clinical study of 727 cases, *359

Tye, M. J.: Parapsoriasis en gouttes, 159

U

Urbach, F.: Folliculitis decalvans (premenstrual allergy?), 690
and Holter, F. R.: Factitial dermatitis, 692
and Welton, W. A.: Pityriasis rubra pilaris, 690
and Whyte, H. J.: Keratosis follicularis: presented for results of vitamin A therapy, 691

Urban, F. H., and Winkelmann, R. K.: Sebaceous malignancy, *63

V

Vilanova, X.; Castillo, R., and Aguadé, J. P.: Mastocytosis with coagulation defects induced by biopsy, *603

Vineyard, M. R., and Mitchell, D. E.: Local therapy of mycosis fungoides with cytotoxic agents: case report, *928
and Scott, R. A.: Steatocystoma multiplex with pachyonychia congenita: eight cases in four generations, *824

Vinton, R. A., Jr.; Cawley, E. P., and Wheeler, C. E.: Lipoma of eyeball: report of two cases of bilateral, symmetrical, subconjunctival lipomas, *941

W

Waisman, M.: Interdigital psoriasis ("white psoriasis"), *733

Wallk, S.: See Bluefarb, S. M., jt. auth.
and Bluefarb, S. M.: Melkersson-Rosenthal syndrome, *798

Walzer, R. A., and Nataro, F. R.: Lepromatous panniculitis, *960

Wansker, B. A.: Antibiotics and pustulocystic acne: long-term, double-blind évaluation, *96; correction, 540

Ward, J. H., and Stephens, F. E.: Inheritance of psoriasis in Utah kindred, *589

Watkins, D. B.: Viral disease in tattoos: verruca vulgaris, *306

Watson, J. B.: Case for diagnosis: trichoepithelioma? 525

Weakley, D. R., and Einbinder, J. M.: Observations on biochemical genesis of acantholysis, *459

and Juhlin, E. A.: Lymphangiectases and lymphangiomata, *574

Weinberg, M.: See Brodkin, R. H., jt. auth.

Wells, B. T., and Winkelmann, R. K.: Acrodermatitis enteropathica: report of 6 cases, *40

Welsh, A. L., and Ede, M.: Fixed eruption: possible hazard of modern drug therapy, *1004

Welton, D. G., and Greenberg, B. G.: Trends in office practice of dermatology: part II, *419

Welton, W. A.: See Urbach, F., jt. auth.

West, J. R., and Perry, H. O.: Pregnancy: another treatment for warts? 671

Kierland, R. R., and Litin, E. M.: Atopic dermatitis and hypnosis: physiologic stigmata before, during, and after hypnosis, *579; correction, 1068

Wheeler, C. E.: See Vinton, R. A., Jr., jt. auth.

Whitcomb, F.: See Knox, J. M., jt. auth.

Whyte, H. J.: See Urbach, F., jt. auth.

Wilkinson, R. D.; Brown, R. P., and Curtis, G. H.: Congenital ichthyosiform erythroderma with "bamboo hairs" and atopic diathesis—"Netherton's syndrome," 518

Williamson, C.: Anetoderma of Jadassohn, 154

Winer, L. H.: See Wright, E. T., jt. auth.

Winkelmann, R. K.: See Tuffanelli, D. L., jt. auth.

See Urban, F. H., jt. auth.

See Wells, B. T., jt. auth.

Wise, L. J., Jr.; Shames, J. M.; Derbes, V. J., and Hunter, F. M.: Fluorescent antibody studies in chronic dermatitis, *37

Witkop, C. J., Jr., and Gorlin, R. J.: Four hereditary mucosal syndromes: comparative histology and exfoliative cytology of Darier-White's disease, hereditary benign intraepithelial dyskeratosis, white sponge nevus, and pachyonchia congenita, *762

Witten, V. H.: See Sulzberger, M. B., jt. auth.

and Snyder, A.: Diagnosis: dermatophytosis, generalized, 875

and Stein, S.: Diagnosis: porphyria (mixed type), 878

Wolf, J.: Diagnosis: pigmented, purpuric, and lichenoid dermatitis (Gougerot-Blum), 1047

Wolf, R. L.: See Gray, H. R., jt. auth.

Woloshin, A. A.: See Medansky, R. S., jt. auth.

Woods, S. M.; Peters, H. A., and Johnson, S. A. M.: Chelation therapy in cutaneous porphyria: review and report of five-year recovery, *920

Wright, A. D., and Francis, R. D.: Pityriasis rosea: etiologic study, *87

Wright, E. T.: See Perry, D. J., jt. auth.

and Winer, L. H.: Herpes zoster and malignancy, *242

Y

Yee, H. Y.; McCann, D. S.; Keech, M. K.; Denko, C. W., and Boyle, A. J.: 2,5 dihydroxyphenylpyruvic acid in human urine: preliminary identification, *293

Z

Zegarelli, E. V.: See Kutscher, A. H., jt. auth.

Zeisler, E. B.: Case from Sophocles, 136

Ziprkowski, L., and Krakowski, A.: Contribution to eccrine spiradenoma, *792

Zugerman, I.: Basal-cell epithelioma on nevus: syringocystadenomatosus papilliferus, 672

SUBJECT INDEX TO VOLUME 84

The following index contains an alphabetical list of significant subjects presented in this volume. Books reviewed are indexed alphabetically by title under the heading "BOOKS." Obituaries are indexed under the heading "DEATHS." Society Transactions are listed under that heading, with individual papers indexed under appropriate headings. Page numbers in the Index refer to bold face (dark) numbers in the text.

A

ABSTRACTS FROM CURRENT LITERATURE, 169, 348, 698, 1057

Acantholysis
observations on biochemical genesis of [Weakley & Einbinder], *459

Acid
urocanic: ultraviolet induced biochemical alterations in skin [Everett et al.], *717

Acne
adolescent, and dietary iodine [Hitch & Greenberg], *898
[Andrews], *711
pustulocystic, and antibiotics: long-term, double-blind evaluation [Wansker], *96
rosacea: See Rosacea
scarring: nevus of ota. nevus flammeus. neurotic excoriations or [Appel], 157
vulgaris: failure of treatment of, with hydrochlorothiazide [Riley], 318

Acrodermatitis
enteropathical [Wells & Winkelmann], *40

Actinomycosis
diagnosis [Canizares & Shatin], 1046

Adenoma
sebaceum, tuberous sclerosis, epilepsy [Fitzpatrick], 1052
seboacanthoma [Naylor], *642
sweat glands: eccrine spiradenoma: contribution to [Ziprkowski & Krakowski], *792
sweat glands, eccrine spiradenoma: pharmacologic study [Berghorn et al.], *434

Adhesive powder vehicle
triamcinolone acetonide in treatment of oral membrane lesions: continued studies using [Kutscher & Silvers], 1035
use of new, (Orahesive) application of drugs to lesions of mouth [Kutscher & Zegarelli], 1033

Adolescence
acne, adolescent, and dietary iodine [Hitch & Greenberg], *898

Agar
appraisal of Sabouraud's, cycloheximide, and oxgall [Loewenthal], *256

Agranulocytosis
cyclic neutropenia [Levy & Schetman], *429

Albinism
partial [Ferguson & Massing], 696

Alcohol, ethyl
fungistatic and fungicidal tests with [Neves], *790

Algae: See Seaweed

Allergy: See also Urticaria
Alpha-Keri: allergic contact dermatitis due to [Schneiderman], 511
nodular dermal allergid [Szymanski & Baily], 341
penicillin sensitivity: abstract of report on medicolegal aspects of testing for [Fisher], 331
premenstrual? folliculitis decalvans [Urbach], 690

Alopecia
circulatory changes in [Cormia & Ernyey], *772
lipedematous [Coskey et al.], *619
mucinosa: sensory imbalance in (correspondence) [Johnson], 1037
mucinosa: sensory imbalance in [Ferreira-Marques], *302
neoplastica due to breast carcinoma [Cohen et al.], *490
traumatic, from brush rollers [Lipnik], *493

Alopecia
unknown cause of [Mescon], 687

Alopecia areata
(father and son) [Klauder], 694
simultaneous, in husband and wife: folie à deux? [Swift], *932
with loss of dark hair only [Halpern], 162

Alpha-Keri
allergic contact dermatitis due to [Schneiderman], 511

Amodiaquine: See under Antimalarials

Amphotericin B: See under Fungicides

Amyloidosis
cutis (treated with locally tattooed hydrocortisone) [Peck], 872
lichen: five cases of [Anekoji & Irisawa], *759
systemic, primary: recurrent herpes simplex and steroid dosage in patient

Amyloidosis—continued
with nephrotic syndrome due to [Stroud], *396

Anesthetics, local
mepivacaine (Carbocaine): dermatological application of new [Reiss et al.], *245

Anetoderma of Jadassohn
[Williamson], 154

Angiokeratoma
corporis diffusum universale (Fabry's disease)? [Lever], 161
[Strauss], 1053

Angioma
"petechial" angiomata (correspondence) [Bancroft], 512
serpiginosum? [Barker], 529, 875
serpiginous: melanotic freckle (Hutchinson) [Canizares], 148

ANNOUNCEMENTS 707, 1066

Antibiotics: See also Fungicides
long term, and pustulocystic acne: double-blind evaluation [Wansker], *96
penicillin sensitivity: abstract of report on medicolegal aspects of testing for [Fisher], 331
triacetyloleandomycin: treatment of granuloma inguinale with [Kerdel-Vegas et al.], *248

Antibodies
circulating antibody formation in lupus erythematosus [Sarkany], *372
fluorescent antibody studies in chronic dermatitis [Wise et al.], *37

Antimalarials
amodiaquine (Camoquin): unusual toxic reaction to [Schloeder], *601
epidermolysis bullosa hereditaria treated with [Baer], 503

Antineoplastic agents: See also specific agents
local therapy of mycosis fungoides with cytotoxic agents [Vineyard & Mitchell], *928

APPARATUS AND INSTRUMENTS
agars: appraisal of Sabouraud's, cycloheximide, and oxgall [Loewenthal], *256
curette, little: useful adjunct in treatment of epitheliomata [Burns], 662
plastic films, thin pliable, in topical dermatologic therapy [Sulzberger & Witten], 1027
plastic materials for ultraviolet protection [Daniels], *392
scalpel and comedone extractor: combination (correspondence) [Wright], 515
slides, colored on large screen: projection of [Jadassohn & Hofer], 1030

APPARATUS AND INSTRUMENTS—continued
suture clips, dermatologic [Brown], 663
two-possibility counting study: problems in simple [Anderson], *99

ARCHIVES OF DERMATOLOGY
Dr. Carl Truman Nelson appointed to Editorial Board, (editorial), 1

Ataxia
—teleagiectasia [Fitzpatrick], 1051

Atrophy
circumscribed [Lazer et al.], 858
macular (syphilitic) [Felsher & Goldblatt], 858
skin: idiopathic atrophoderma of Pasini and Pierini [Brubaker], 523

Autoinoculation
reactions of, for recurrent herpes simplex [Goldman], 1025

AWARDS
Nelson Paul Anderson Memorial Prize Essay contest, 1068
psoriasis research award, 707

B

Bacillus
atypical acid-fast organism infection of skin [Knox et al.], *386

Berlock-berloque
(correspondence) [Leider], 137

Betazole
histamine analogue that does not cause itching [Epstein et al.], *290

Biopsy
mastocytosis with coagulation defects induced by [Vilanova et al.], *603

Blastomycosis
[Falk et al.], 337
[Gephardt & Hanlon], 660
North American [Fisher], 145

Bleaching agent
hydroquinone [Spencer], *131

Blood
coagulation: mastocytosis with, defects induced by biopsy [Vilanova et al.], *603
dyscrasias and hemorrhagic disturbances: manifestations of, and mucocutaneous changes [Duemling & Norman], *273

BOOKS
Advances in Biology of Skin [Montagna, ed.], 177
Choice of Medical Career: Essays on Fields of Medicine [Garland & Stokes, eds.], 176
Composite Index, Archives of Dermatology [Section of Dermatology, University of Arkansas], 888
Cutaneous Manifestations of Benign In-

Books—continued
flammatory Reticuloses [Bluefarb], 357
Dermatologie und Venerologie [Gottron & Schönfeld, ed.], 888
Dermatology for Students [Noojin, ed.], 708
Fixed Eruption [Welsh], 710
Klinik und Therapie der Pilzkrankheiten [Polemann et al.], 176
Manual of Cutaneous Medicine [Pillsbury et al.], 709
Nature of Animal Colours [Fox & Vevers], 708
Nerve Endings in Normal and Pathologic Skin [Winkelmann], 177
Pracancerosen und primare Kerbse der Haut [Melczer], 709

Bowen's disease
association between internal cancer and [Peterka et al.], *623
of palm (treated with Grenz rays) [Schonberg & Litt], 144

Brazilian regimen
Jamarsan therapy of pemphigus erythematosus: observations of 2 patients treated with [Schiff], *103

Breast
carcinoma: alopecia neoplastica due to [Cohen et al.], *490

Bromhidrosis: See Sweating

Bronchiectasis
emphysema and [Strauss], 686

C

Calcium
plaques: successful removal of large, in skin in porphyria cutanea tarda and poikilodermatomyositis [Domonkos], 884
salts: cutaneous calcinosis associated with Raynaud's disease [Tolmach], 879

Camoquin: See Antimalarials, amodiaquine

Cancer
cytologic studies in skin (correspondence) [Urbach & Traenkle], 137
immunology: importance of skin for investigative studies [Goldman], *948
internal: association between Bowen's disease and [Peterka et al.], *623

Candida
monilial granuloma with hypergammaglobulinemia: treatment with amphotericin B and dermabrasion [Engels], *192

Carbocaine: See Mepivacaine

Carcinoid: See Malignant carcinoid syndrome

Carcinoma
breast: alopecia neoplastica due to [Cohen et al.], *490
malignancy and herpes zoster [Wright & Winer], *242
nasopharnx, squamous cell carcinoma of, with metastases on neck: dermatomyositis associated with [Canizares], 537
sebacceous malignancy [Urban & Winkelmann], *63
vascular endothelium: possible new clinical and pathological entity in diffuse malignant proliferation of [Braverman & Lerner], *22

Catechol
O-methyl transferase inhibitors: monoamine oxidase and [DeOreo & Stoughton], *972

Cellophane tape
stripping: effects on guinea pig's skin [Levit], *609

Celsus, Aulus Cornelius
contributions to dermatology [Rosenthal], *613

Chelating agents
therapy, chelation, in cuteneous porphyria [Woods et al.], *920

Children
acrodermatitis enteropathica [Wells & Winkelmann], *40
facial granulomas, unusual, occurring in child [Evans], *261
nasal groove: familial transverse [Anderson], 316

Choline
urticaria, cholinergic [Grauer & Pinski], 346

Chondroid syringoma: See Syringoma, chondroid

Chromium
hexavalent and trivalent, compounds on skin: effects of [Samitz & Gross], *404

Cicatrix
pemphigoid, cicatricial: persistent denudation of scalp in [Slepyan et al.], *444

Coal tar
photosensitization to: cause of psoriatic erythroderma [Starke & Jillson], *935
ultraviolet light and: cumulative effects [Everett & Miller], *937
ultraviolet light and [Everett et al.] *473

Cold
paroxysmal cold hemoglobinuria? [Mandel], 880

Colloids
facial, degeneration in plaques [Sullivan & Ellis], *816

Comedone extractor
combination scalpel and (correspondence) [Wright], 515

Connective tissue: See also Mast Cells
disease: See also Elastosis
disease: preliminary identification of 2,5 dihydroxyphenylpyruvic acid in human urine for [Yee et al.], *293
nevus elasticus and nevus elasticus vascularis [Staricco & Mehregan], *943
oxytalan fibers in sclerosing hemangiomas [Tedeschi & Sommers], *128

CORRESPONDENCE
"berlock-berloque" [Leider], 137
combination scalpel and comedone extractor [Wright], 515
cytodiagnostic technique: cytologic studies in skin cancer [Urbach & Traenkle], 137
Dr. Pascher's letter of June 19, 1961 [Miller], 850
epilating folliculitis of glabrous skin [Pascher], 676
Finsen Memorial Congress [Daniels & Pathak], 848
histogenesis of nevoid tumors of skin [Kligman], 512
"interfinger" webs [Purdy], 514
"interfinger" webs [van de Erve], 514
lichen sclerosus et atrophicus and kraurosis vulvae [George], 513
pathologic dynamics of human hair loss [Malkinson], 513
"petechial" angiomata [Bancroft], 512
pilomatrixoma (calcifying epithelioma) [Belisario], 512
porphyria, diabetes and their relationship [Burnham], 512
reply to Dr. Malkinson's letter [Kligman], 513
sensory imbalance in alopecia mucinosa, [Johnson], 1037
spelling [Schamberg], 514
standard nomenclature: berlock dermatitis [Ronchese], 514
transitory pigmented purpuric eruption [Loewenthal], 1037

Corticesteroids
fluorandrenolone evaluation; new topical [Gray et al.], *18

Counting study
problems in simple two-possibility [Anderson], *99

Cuna Indians
skin disease in: dermatology and geography of San Blas coast of Panama [McFadden], *1013

Curettage
"little curette": useful adjunct in treatment of epitheliomata [Burns], 662
results of treatment of basal and squamous cell epitheliomas with [Miller], 1050

Cutis laxa: See Dermatolysis

Cysts
lesion, cystic, of nose? [Canizares], 1048

Cytomegalic inclusion disease: See Virus diseases

Cytotoxic drugs: See Antineoplastic agents

D

Darier's disease: See Keratosis follicularis

DEATHS
Lamb, John Henderson, 138
Lawler, James C., 678
Serrano, Eduardo de Gregorioy Garcia, 680
Stokes, John Hinchman, 325; correction, 515

Demethylchlortetracycline
nature and incidence of photosensitivity reactions to [Cahn et al.], *485

Demonstrations
preserving treponema pallidum for purposes of: simple and rapid method for [Cohen], 672

Dentistry
dental conditions of diagnostic aid in mucocutaneous medicine [Chernosky], *115

Dermabrasion
monilial granuloma with hypergammaglobulinemia: treatment with amphotericin B and [Engel], *192

Dermatitis: See also Acrodermatitis, Radiodermatitis
allergic contact, due to Alpha-Keri [Schneiderman], 511
atopic, and hypnosis [West et al.], *579
atopic: study of Galvanic Skin Response in [Perry et al.], *496
chronic: fluorescent antibody studies in [Wise et al.], *37
exfoliativa: pityriasis rubra pilaris [Urbach & Welton], 690
factitial [Urbach & Holter], 692
herpetiformis? dermatitis medicamentosa (penicillin)? toxic bullous eruption? [Soifer], 158
herpetiformis [Mescon], 684
herpetiformis or pemphigus? [Cormia], 532
pigmented, purpuric, and lichenoid [Wolf], 1047
seaweed [Grauer & Arnold], *720

Dermatoglyphics
quick look at [Felsher], *199

Dermatology
application, dermatological, of mepivacaine (Carbocaine): new local anesthetic [Reiss et al.], *245

Dermatology—continued
Celsus, Aulus Cornelius, contributions to [Rosenthal], *613
geography and, of San Blas coast of Panama: skin disease in Cuna Indians [McFadden], *1013
International Congress of Dermatology, 12th: Washington, D. C., Sept., 1962, 1066
Minnesota Dermatological Society honors Dr. Montgomery [Michelson], *607
study, comparative, of canine and human [Orkin & Schwartzman], *227
therapy: thin pliable plastic film in topical dermatologic [Suzberger & Whitten], 1027
trends in office practice of [Welton & Greenberg], *419

Dermatolysis
cutis laxa [Schreiber & Tilley], *266

Dermatomyositis
associated with squamous cell carcinoma of nasopharynx with metastases on neck [Canizares], 537

Dermatophyosis: See under Ringworm

Dermographism
urticaria and, with Mediterranean fever [Baumal & Kanton], *630

Diabetes mellitus
lipoatrophic: progressive lipodystrophy and [Taylor & Honeycutt], *31
porphyria and their relationship (correspondence) [Burnham], 512

Diagnosis
dental conditions of diagnostic aid in mucocutaneous medicine [Chernosky], *115

Diathesis
atopic,—"Netherton's syndrome": congenital ichthyosiform erythroderma with "bamboo hairs" and [Wilkinson et al.], 518

Diet
iodine, dietary, and adolescent acne [Hitch & Greenberg], *898

2,5 Dihydroxphenylpyruvic acid
preliminary identification of, in human urine [Yee et al.], *293

Drugs
application of, to lesions of mouth: use of new adhesive powder vehicle (Orahesive), [Kutscher & Zegarelli], 1033
hazard, possible, of modern drug therapy: fixed eruption [Welsh & Ede], *1004

Dyskeratosis
hereditary benign intraepthelial: hereditary mucosal syndrome [Witkop & Gorlin], *762

E

Edema
alopecia, lipedematous [Coskey et al.], *619

EDITORIALS
Dr. Carl Truman Nelson appointed to Editorial Board, 1
tower of babel [Bean], 541

Elastosis
nodular cutaneous, with cysts and comedones (Favre-Racouchot syndrome), [Helm], 666

Electrodesiccation
results of treatment of basal and squamous cell epitheliomas with [Miller], 1050

Emphysema
bronchiectasis and [Strauss], 686

Endocrinology
Fox-Fordyce disease: endocrinological study [Montes et al.], *452

Enterobius vermicularis
localized urticaria due to [Clark], 1026

Eosinophilic granuloma
of skin: faciale granuloma [Levan], 150

Eosinophils
granuloma faciale with [Silver et al.], 857

Epidermolysis bullosa
hereditaria? porphyria cutanea tarda? [Baler], 155
hereditaria treated with antimalarials [Baer], 503

Epidermophyton
infections: two clinical variations in [Lloyd & Guer], 320

Epidermophytosis: See Ringworm

Epilepsy
adenoma sebaceum, tuberous sclerosis [Fitzpatrick], 1052

Epithelioma
basal and squamous cell epitheliomas with electrodesiccation and curettage [Miller], 1050
basal-cell, on nevus: syringocystadenomatosus papilliferus [Zugerman], 672
calcifying: pilomatrixoma (correspondence, [Belisario], 512
multiple, agressive, calcifying (Malherbe tumor), [Couperus], 1042
nevoid basal cell? [Domonkos], 530

Eruption
creeping [Lewis], 1048
fixed: possible hazard of modern drug therapy [Welsh & Ede], *1004
herpetiform? [Rowe], 1039
toxic bullous? dermatitis herpetiformis? dermatitis medicamentosa (penicil-

Eruption—continued
lin)? [Soifer], 158
transitory pigmented purpuric (correspondence) [Loewenthal], 1037

Erythema
annulare centrifugum? case for diagnosis: "port-wine stain" plus [Rollins], 696
Jamarsan therapy of pemphigus erythematosus [Schiff], *103

Erythema nodosum
pulmonary tuberculosis and, in two sisters [Heldeman & Skolnick], *402

Erythroderma
marked of head and neck with histologic pattern of sarcoid: diagnosis [May], 527
photosensitization to coal tar: cause of psoriatic [Starke & Jillson], *935

Erythroderma ichthyosiform: See Ichthyosis

Erythroplasia
of female genitalia [Hyman & Leider], *381

Eye
lipoma of eyeball [Vinton et al.], *941
pemphigus, ocular [Massachusetts General Hospital, Department of Dermatology], 1055

F

Fabry's disease: See Angiokeratoma

Face
colloid, facial, degeneration in plaques [Sullivan & Ellis], *816
granulomas occurring in child: unusual facial [Evans], *261
mucinous degeneration of buccal mucosa [Barker], 883

Facial paralysis
Melkersson-Rosenthal syndrome [Wallk & Bluefarb], *798

Films
thin pliable plastic, in topical dermatologic therapy [Sulzberger & Witten], 1027

Fingers
psoriasis, interdigitalis, [Waisman], *733
webs, interfinger (correspondence) [Purdy], 514
webs, interfinger (correspondence) [van de Erve], 514

Finsen Memorial Congress
(correspondence) [Daniels & Pathak], 848

Fluocinolone aceteonide
topical therapy of psoriasis [Scholtz], 1029

Fluorescence
antibody, fluorescent, studies in chronic dermatitis [Wise et al.], *37
immunofluorescence studies in tinea versicolor [Sternberg & Keddie], *999

Flurandrenolone
evaluation of: new topical corticosteroid [Gray et al.], *18

Foliculitis: See also Sycosis
decalvans (premenstrual allergy?) [Urbach], 690
epilating, of glabrous skin (correspondence) [Pascher], 676

Folie à deux
simultaneous alopecia areata in husband and wife [Swift], *932

Fox-Fordyce disease
endocrinological study [Montes et al.], *452

Freckles: See Lentigo

Fungi
isolation: appraisal of Sabouravd's, cycloheximide, and oxgall agars [Lowenthal], *256
tests, fungistatic and fungicidal, with ethyl alcohol [Neves], *790

Fungicides
amphotericin B and dermabrasion treatment: monilial granuloma with hypergammaglobulinemia [Engel],, *192

G

Galvanic Skin Response
study of, in atopic dermatitis [Perry et al.], *496

Genetics
hemorrhagic telangiectasia, hereditary [Cipollaro], 149
malignant melanoma of skin in sisters [Moschella], 1024
mucosal syndromes: four hereditary [Witkop & Gorlin], *762
pachyonychia congenita: steatocystoma multiplex with [Vineyard & Scott], *824
psoriasis inheritance in Utah kindred [Ward & Stephens], *589

Genitalia, female: See also Vulvae
erythroplasia of [Hyman & Leider], *381

Geography
dermatology and, of San Blas coast of Panama [McFadden], *1013

Gougerot-Blum disease
pigmented, purpuric, and lichenoid dermatitis [Wolf], 1047

Granuloma
disseminated, annulare (atypical) [Tolmach], 167

Granuloma—continued
facial, unusual, occurring in child [Evans], *261
faciale: eosinophilic granuloma of skin [Levan], 150
faciale with eosinophils [Silver et al.], 857
monilial, with hypergammaglobulinemia: treatment with amphotericin B and dermabrasion [Engel], 192

Granuloma inguinale
relapse of [Barsky & Bernstein], 339
treatment with triacetyloleandomycin [Kerdel-Vegas et al.], *248

Grenz rays: See Roentgen rays

Griseofulvin
(Grifulvin) in treatment of violaceum ringworm of scalp [Noé et al.], *645
verrucous epidermophytosis: its response and resistance to [Fisher et al.], *375

H

H disease
review: clinical significance of derangements of tryptophan metabolism [Fleischmajer & Hyman], *563

Hair: See also Alopecia
loss of dark, only: alopecia areata [Halpern], 162
loss: pathologic dynamics of (correspondence) [Malkinson], 513
thinning: traumatic alopecia from brush rollers [Lipnik], *493

Hand: See also Fingers
Bowen's disease of palm (treated with Grenz rays) [Schonberg & Litt], 144
tinea nigra palmaris [Hitch], 318

Hemangioma
oxytalan fibers in sclerosing [Tedeschi & Sommers], 128
sclerosing: oxytalan fibers in [Tedeschi & Sommers], *128
variant: blue rubber bleb nevus [Fine et al.], *802

Hemoglobinuria
paroxysmal cold? [Mandel], 880

Hemorrhage
mucocutaneous changes: manifestations of blood dyscrasias and hemorrhagic disturbances [Duemling & Norman], *273

Heredity: See Genetics

Herpes
gestationis [Dougherty], 870
gestationis: pridoxine in treatment of [Fosnaugh et al.], *90
herpetiform eruption? [Rowe], 1039

Herpes—continued
simplex: reactions of autoinoculation for recurrent [Goldman], 1025
simplex: recurrent, and steroid dosage [Stroud], *396

Herpes zoster
in patient with myelogenous leukemia [Stritzler et al.], 855
lichen planus in site of previous zoster eruption Strick & Hyman], 509
malignacy and [Wright & Winer], *242

Histamine
analogue that does not cause itching [Epstein et al.], *290

Hodgkin's disease
[Nelson], 149

Hutchinson's disease
melanotic freckle [Canizares], 148

Hydrochlorothiazide
acne vulgaris treatment with: failure of [Riley], 318

Hydrocortisone
tattooed: amyloidosis cutis treated with locally [Peck], 872
topical methylprednisolone and, compared [Kaufman], *637

Hydroquinones: See under Phenols

Hypergammaglobulinemia
monilial granuloma with: treatment with amphotericin B and dermabrasion [Engel], *192

Hyperhidrosis: See Sweating

Hyperpigmentation
of skin: diagnosis? [Folan], 160

Hypnosis
atopic dermatitis and [West et al.], *579

I

Ichthyosis
congenital ichthyosiform erythroderma with "bamboo hairs" and atropic diathesis [Wilkinson et al.], 518

Immunology: See also Serology
cancer: importance of skin for investigative studies [Goldman], *948

Infants
acrodermatitis enteropathica [Wells & Winkelmann], *40
cytomegalic inclusion disease, generalized: dermatologic aspects [Brodkin et al.], *650
melanoma, malignant, in, with metastases developing in giant nevus [Couperus], 1041

Intestines
disease: acrodermatitis enteropathica [Wells & Winkelmann], *40

International Congress of Dermatology
12th: Washington, D. C., Sept., 1962, 1066

Iodine
dietary, and adolescent acne [Hitch & Greenberg], *898

Iron
injection: pigmentation and panniculitis following [Barker], 528

Itching: See Pruritus

J

Jamarsan therapy
of pemphigus erythematosus: observations on 2 patients treated with Brazilian regimen [Schiff], *103

Joints
pain: arthralgia and chronic urticaria: progressive lipodystrophy [Nelson], 882

Jurisprudence
medicolegal aspects of testing for penicillin sensitivity: abstract of report on [Fisher], 331

K

Keratoacanthoma
giant,—recurrent [Gross], 683
in xeroderma pigmentosum [Stevanovic], *53

Keratosis
follicularis (Darier's disease) [Peck], 868
follicularis: evaluation of neuropsychiatric component of Darier's disease [Medansky & Woloshin], *482
follicularis: hereditary mucosal syndrome(Darier-White's disease) [Witkop & Gorlin], *762
follicularis [Mescon], 686
follicularis: presented for results of vitamin A therapy [Urbach & Whyte], 691

Kviem test
histopathology of [Steigleder et al.], *828

L

Lentigo
melanotic freckle [Hutchinson] [Canizares], 148

Leprosy
lepromatous [Barsky & Kroll], 862
panniculitis, lepromatous [Walzer & Nataro], *960
(tuberculoid type) and hansenosis (lepromatous type) [Costello], 538

Leukemia
cutis with no systemic involvement [Stritzler et al.], 855
lymphocytic [Epstein & Maroney], 885
myelogenous: herpes zoster in patient with [Stritzler et al.], 855

Lichen planus
erythematosus: review and two case reports [Arnold], *741
hypertrophic [Folan], 159
in site of previous zoster eruption [Strick & Hyman], 509
occurring in psoriasis [Lashinsky], 508
variations and course of [Altman & Perry], *179

Lichens
amyloidosis: five cases of [Anekoji & Irisawa], *759
dermatitis: pigmented, purpuric, and lichenoid [Wolf], 1047
myxedematosus [Madison & Haserick], 517
sclerosis et atrophicus? scleroderma [Lewis], 146
sclerosus et atrophicus and kraurosis vulvae (correspondence) [George], 513
sclerosus et atrophicus [Steigleder & Raab], *219
striatus: vitiligo with Koebner phenomenon [Falk et al.], 859

Lipids
alopecia, lipedematous [Coskey et al.], *619

Lipodystrophy
progressive, and lipoatrophic diabeties [Taylor & Honeycutt], *31
progressive: chronic urticaria and arthralgia [Nelson], 882

Lipoidosis: See also Eosinophilic granuloma
idiopathic hyperlipemic xanthomatosis with psoriasis [Pascher & Schiff], 854
necrobiosis lipoidica in three-year-old girl [Chernosky & Guin], 135

Lipoma
of eyeball [Vinton et al.], *941

Lips
psoriasis of [Baumal et al.], 669
psoriasis of [Peck], 872

Lupus
miliaris disseminatus faciei [Scholtz], 152

Lupus erythematosus
antibody formation, circulating, in [Sarkany], *372
[Bluefarb et al.], 335
[Bluefarb & Wallk], 860
profundus [Bluefarb & Wallk], 860
profundus with positive Kveim test [LoCricchio & Burdick], 521

Lupus erythematosus—continued
systemic [Bluefarb & Sankstone], 335
systemic? [Cormia], 535
systemic: diagnosis [Costello], 533

Lymph nodes
sarcoidosis with folliculopapular lesions [Costello], 536

Lymphangioma
circuscriptum: von Recklinghausen's disease with [Bluefarb et al.], 863
lymphangiectases and [Weakley & Juhlin], *574

Lymphoma
generalized cutaneous, supervening upon parapsoriasis and, or poikiloderma atrophicans vasculare [Newman & Obermayer], 524

M

Malherbe tumor: See under Epithelioma

Malignant carcinoid syndrome
cutaneous mast cells in carcinoid [Steiner], *477
review: clinical significance of derangements of tryptophan metabolism [Fleischmajer & Hyman], *563

Mast cells
cutaneous, in carcinoid [Steiner], *477
mastocytosis, solitary (urticaria pigmentosa) [Johnson & Helwig], *806
mastocytosis with coagulation defects induced by biopsy [Vilanova et al.], *603

Medicine, legal: See Jurisprudence

Mediterranean fever
urticaria and dermographism with [Baumal & Kantor], *630

Melanoma
malignant, and cutaneous tumors-pigmented nevus [Orkin & Schwartzman], *227
malignant, in infant with metastases developing in giant nevus [Couperus], 1041
malignant, of skin in sisters [Moschella], 1024

Melanosis
freckle, melanotic (Hutchinson) [Canizares], 148
Riehl's [Domonkos], 874

Melkersson-Rosenthal syndrome
[Wallk & Bluefarb, *798

Mepivacaine
(Carbocaine): dermatological application of: new local anesthetic [Reiss et al.], *245

Mercaptopurine
psoriasis treatment with [Kravetz & Balsam], *597

Methylprednisolone
topical, and hydrocortisone compared [Kaufman], *637

Microsporum
nanum: cause of tinea capitis [Brock], 504

Miliaria
pathogenesis of: role of sodium chloride [Loewenthal], *2

Minnesota Dermatological Society
honors Dr. Montgomery [Michelson], *607

Molluscum contagiosum
clinicopathologic study [Mehregan], *123

Monamine oxidase
catechol O-methyl and transferase inhibitors [DeOreo & Stoughton], *972

Monilia: See Candida

Montgomery, Dr. Hamilton
Minnesota Dermatological Society honors [Michelson], *607

Mouth
lesions of: use of new adhesive powder vehicle (Orahesive) application of drugs to [Kutscher & Zegarelli], 1033
lesions, oral membrane: triamcinolone acetonide in treatment of, using adhesive powder vehicle [Kutscher & Silvers], 1035
mucinous degeneration of buccal mucosa [Barker], 883
mucosal syndromes: four hereditary [Witkop & Gorlin, *762
pemphigus limited to oral mucosa for eight years [Costello], 534

Mucha-Habermann disease: See Pityriasis lichenoides et varioliformis acuta

Mucocutaneous medicine
dental conditions of diagnostic aid in [Chernosky], *115
manifestations of blood dyscrasias and hemorrhagic disturbances: mucocutaneous changes [Duemling & Norman], *273

Mucopolysaccharides
present status of epidermal [Roe et al.], *213

Mycosis fungoides
[Aaron & Eddy], 885
[Leider], 163
local therapy of, with cytotoxic agents [Vineyard & Mitchell], *928
[Schwartz & Grekin], 867

N

Nails
thickening of: See Pachyonychia
ventral [Samman], 1030
why do nails grow out instead of up [Kligman], *313

Nasopharynx
squamous cell carcinoma of, with metastases on neck [Canizares], 537

Neck
metastases on: dermatomyositis associated with squamous cell carcinoma of nasopharynx with [Canizares], 537

Necrobiosis lipoidica: See under Lipoidosis

Nelson, Dr. Carl Truman
appointed to Editorial Board (editorial), 1

Nelson Paul Anderson
Memorial Prize Essay contest, 1068

Nephrotic syndrome
due to primary systemic amyloidosis in patient: recurrent herpes simplex and steroid dosage [Stroud], *396

"Netherton's syndrome"
congenital ichthysiform erythroderma with "bamboo hairs" and atopic diathesis [Wilkinson et al], 518

Neutropenia: See Agranulocytosis

Nevus
blue [Bluefarb et al.], 865
blue rubber bleb [Fine et al.], *802
elasticus and nevus elasticus vascularis [Staricco & Mehregan], *943
flammeus. nevus of ota; neurotic excoriations or acne scarring [Appel], 157
giant: malignant melanoma in infant with metastases developing in [Couperus], 1041
halo: leukoderma acquisitum centrifigum [Graham et al.], 689
of ota [Canizares & Kopf], 1043
pigmented, -cutaneous tumors and malignant melanoma: comparative study of canine and human dermatology [Orkin & Schwartzman], *227
syringocystadenomatosus papilliferus [Zugerman], 672
white sponge: hereditary mucosal syndrome [Witkop & Gorlin], *762

NEW, NEWER, AND NEWEST, 142, 330, 516, 681, 852, 1038

Norepinephrine
effect of intradermal injection on exogenous and endogenous [Deoreo & Stoughton], *972

Nose: See also Nasopharynx
cystic lesion of? [Canizares], 1048
familial transverse nasal groove [Anderson], 316

O

Orahesive: See under Adhesive powder vehicle

Osteitis fibrosa
von Recklinghausen's disease with lymphangioma circumscriptum [Bluefarb etl al.], 863

Oxytalan fibers
in sclerosing hemangiomas [Tedeschi & Sommers], *128

P

Pachyonchia
congenita: hereditary mucosal syndrome [Witkop & Gorlin], *762
congenita: steatocystoma multiplex with [Vineyard & Scott], *824

Panama
dermatology and geography of San Blas coast of [McFadden], *1013

Panniculitis
lepromatous [Waltzer & Nataro], *960
nodular nonsupporative: variant of Weber-Christian disease [Canizares], 1044
pigmentation and, following injection of iron [Barker], 528

Papillomas
podophyllin lotion for warts [Goldman et al.], 505
pregnancy: another treatment for warts? [West & Perry], 671
verruca vulgaris: viral disease in tattoos [Watkins], *306

Parapsoriasis
en gouttes [Tye], 159
guttata or Mucha-Habermann disease [Kulchar & Hansen], 887
guttata with varioliform lesions [Gross], 682

Pellagra
review: clinical significance of derangements of tryptophan metabolism [Fleischmajer & Hyman], *563

Pemphigus
cicatricial pemphigoid: persistent denudation of scalp in [Slepyan et al.], *444
dermatitis herpetiformis or? [Cormia], 532
erythematosus: Jamarsan therapy of [Schiff], *103
erythematosus with pulmonary TB [DeFoe], 877
familial incidence of [Pommerening & Hammer], 506
limited to oral mucosa for eight years [Costello], 534
ocular: [Massachusetts General Hospital, Department of Dermatology], 1055
vulgaris [Lenahan & Service], 343

Penicillin
sensitivity: abstract of report on medicolegal aspects of testing for [Fisher], 331

Penis
penile cutaneous horn [Lillie & Guin], 322

Phenols: See also Catechol
hydroquinone bleaching [Spencer], *131

Photosensitization
nature and incidence of photosensitivity reactions to demethylchlortetracycline [Cahn et al.], *485
to coal tar: cause of psoriatic erythroderma [Starke & Jillson], *935

Pigmentation: See also Hyperpigmentation, Lentigo
dermatitis: pigmented, purpuric, and lichenoid [Wolf], 1047
incontinentia pigmenti (bullous stage) [Stritzler et al.], 856
panniculitis and, following injection of iron [Barker], 528

Pityriasis
lichenoides et varioliformis acuta: Mucha-Habermann disease of parapsoriasis guttata [Kulchar & Hansen], 887
rosea: etiologic study [Wright & Francis], *87
rosea: histologic and serologic study [Bunch & Tilley], *79
rubra: See Dermatitis exfoliativa

Plastics
film, thin pliable, in topical dermatologic therapy [Sulzberger & Witten], 1027
materials for ultraviolet protection [Daniels], *392

Podophyllum
lotion, podophyllin, for warts [Goldman et al.], 505

Poikiloderma
atrophicans vasculare: generalized cutaneous lymphoma supervening upon parapsoriasis and, or [Newman & Obermayer], 524
atrophicans vasculare: successful removal of large calcium plaques in skin in porphyria cutanea tarda and [Domonokos], 884
congenitale of Thomson: Rothmund's syndrome [Rostenberg et al.], 865

Porokeratosis
disease of epidermal eccrine-sweat-duct units [Saunders], *980
of Mibelli [Hyman], 168

Porphyria
cutanea tarda and poikildermatomyositis: successful removal of large calcium plaques in skin in [Domonkos], 884

Porphyria—continued
cutanea tarda? epidermolysis bullosa hereditaria? [Baler], 155
cutanea tarda [Harber et al.], 165
cutanea tarda [Harber & Tromovitch], 165
cutaneous: chelation therapy in [Woods et al.], *920
diabetes and their relationship (correspondence) [Burnham], 512
(mixed type) [Witten & Stein], 878

Pregnancy
another treatment for warts? [West & Perry], 671
herpes gestationis [Dougherty], 870
herpes gestationis: pyridoxine in treatment of [Fosnaugh et al.], *90

Prizes: See under AWARDS

Pruritus
histamine analogue that does not cause itching [Epstein et al.], *290

Pseudomonas
aeruginosa-contaminant or pathogen? [Bauer & Hewitt], *410

Pseudosyphilis papulosa
[Jansen & Groothuis], *639

Psoriasis: See also Parapsoriasis
behavior of psoriatic and normal skin transplants [Long], *593
erythroderma, psoriatic: caused by photosensitization to coal tar [Starke & Jillson], *935
idiopathic hyperlipemic xanthomatosis with [Pascher & Schiff], 854
inheritance of, in Utah kindred [Ward & Stephens], *589
interdigital ("white psoriasis") [Waisman], *733
lichen planus occurring in [Lashinsky], 508
of lips [Baumal et al.], 669
of lips [Peck], 872
pustular, generalized [Kingery et al.], *912
pustular, generalized [Shelley & Kirschbaum], *73
therapy, topical, with fluocinolone acetonide [Scholtz], 1029
treatment of, with mercaptopurine [Kravetz & Balsam], *597

Psychiatry
Darier's disease: evaluation of its neuropsychiatric component [Medansky & Woloshin], *482

Purpura
dermatitis, purpuric: pigmented, and lichenoid [Wolf], 1047
eruption, purpuric: transitory pigmented (correspondence) [Loewenthal], 1037

Pyridoxine: See Vitamin B₆

R

Radiation: See Roentgen rays, and Ultraviolet rays

Radiodermatitis
chronic: results of treatment of basal and squamous cell epitheliomas with electrodesiccation and curettage [Miller], 1050

Raynaud's disease
cutaneous calcinosis associated with [Tolmach], 879

Reserpine
urticaria pigmentosa treated with [Griesemer], 1054

Rhinoscleroma
case report [Convit et al.], *55

Ringworm
dermatophytosis, generalized [Witten & Snyder], 875
microspoum nanum: cause of tinea capitis [Brock], 504
tinea nigra [Grauer & Sommer], 345
tinea nigra palmaris [Hitch], 318
tinea versicolor: immunofluorescence studies in [Sternberg & Keddie], *999
verrucous epidermophytosis: its response and resistance to griseofulvin [Fisher et al.], *375
violaceum, of scalp: griseofulvin in treatment of [Noé et al.], *645

Roentgen rays
Bowen's disease of palm (treated with Grenz rays) [Schonberg & Litt], 144
chronic radiodermatitis: results of treatment of basal and squamous cell epitheliomas with electrodesiccation and curettage [Miller], 1050

Rosacea
acne rosacea? [Jensen], 522

Rothmund's syndrome
poikiloderma congenitale of Thomson [Rostenberg et al.], 865

S

Salicylates
synergism of steriods and [Butterworth & Strean], *964

Salivary glands
chondroid syringoma: mixed tumor of skin, salivary gland type [Hirsch & Helwig], *835

San Blas coast: See Panama

Sarcoidosis
Kviem test: See Kviem test
-tuberculosis relationship: case report [Kirschenbaum], *109

Sarcoidosis—continued
with folliculopapular lesions [Costello], 536

Sarcoma
Kaposi's hemorrhagic [Laskas], 691
reticulum cell [Miller], 1050
reticulum-cell [Nelson], 147

Sarcoptes scabiei
mange, sarcoptic, in human [Emde], *633

Scalp
cutaneous circulation of normal: summary [Cormia & Ernyey], *772
denudation, persistent, of, in cicatricial phemphigoid [Slepyan et al.], *444
tinea capitis: microsporum nanum [Brock], 504
violaceum ringworm of: griseofulvin in treatment of [Noé et al.], *645

Scalpel
combination comedone extractor and (correspondence) [Wright], 515

Scleredema adultorum
(Buschke) in child [Pascher & Eanet], 853
case for diagnosis [Lenahan], 343
[Orfuss & Cardon], 881

Scleroderma
lichen sclerosis et atrophicus? [Lewis], 146
systemic: clinical study [Tuffanelli & Winkelmann], *359

Sclerosis
oxytalan fibers in sclerosing hemangiomas [Tedeschi & Sommers], *128
tuberous, adenoma sebaceum, epilepsy: epiloia [Fitzpatrick], 1052

Seasons
factors, seasonal, in pathogenesis of skin diseases [Dostrovsky & Even-Paz], *750

Seaweed
dermatitis: report of dermatitis-producing marine alga [Grauer & Arnold], *720

Sebaceous glands
malignancy [Urban & Winkelmann], *63
seboacanthoma [Naylor], *642

Sensation
imbalance, sensory, in alopecia mucinosa [Ferreira-Marques], *302

Serology
studies, long-term, with treponemal procedures [Kostant & Kelcec], *310

Skin
biochemical alterations in: ultraviolet induced [Everett et al.], *717
calcium plaques in, in porphyria cutanea tarda and poikilodermatomyositis: successful removal of [Domonkos], 884

Skin—continued
cancer immunology: importance of skin for investigative studies [Goldman], *948
cellophane tape stripping: effect on guinea pig [Levit], *609
changes after prolonged exposure to sunlight [Cockerell et al.], *467
color: correlation of reflectance measurement and clinical appearance [Monash], *654
dermatoglyphics: quick look at [Felsher], *199
disease in Cuna Indians: dermatology and geography of San Blas coast of Panama [McFadden], *1013
diseases: seasonal factors in pathogenesis of [Dostrovsky & Even-Paz], *750
eosinophilic granuloma of (granuloma faciale) [Levan], 150
Galvanic, Response: See Galvanic Skin Response
hexavalent and trivalent chromium compounds on: effects of [Samitz & Gross], *404
hyperpigmentation of: diagnosis? [Folan], 160
infection of: atypical acid-fast organism [Knox et al.], *386
melanoma, malignant, of, in sisters [Moschella], 1024
mixed tumor of: chondroid syringoma [Hirsch & Helwig], *835
mucocutaneous medicine: See Mucocutaneous medicine
nodular dermal allergid [Szymanski & Baily], 341
porphyria: chelation therapy in [Woods et al.], *920
tumors, mixed, of: eccrine and apocrine types [Headington], *989

Skin transplantation
behavior of psoriatic and normal skin transplants [Long], *593
denudation, persistent, of scalp in cicatricial pemphigoid: treatment by skin grafting [Slepyan et al.], *444

Slides
colored on large screen: projection of [Jadassohn & Hofer], 1030

SOCIETY TRANSACTIONS
Bronx Dermatological Society, 331, 853
Chicago Dermatological Society, 335, 858
Cleveland Dermatological Society, 144, 517
Detroit Dermatological Society, 867
Los Angeles Dermatological Society, 150, 522, 1039
Manhattan Dermatological Society, 682, 868, 1043
Metropolitan Dermatologic Society of Los Angeles, 525
Metropolitan Dermatological Society of

SOCIETY TRANSACTIONS—continued
New York, 874, 1050
New England Dermatological Society, 155, 684, 1051
New York Academy of Medicine, Section on Dermatology and Syphilology, 163, 875
New York Dermatological Society, Scientific Session, 146
New York Dermatological Society, 528, 882
Philadelphia Dermatological Society, 689
San Francisco Dermatological Society, 343, 675, 885

Sodium chloride
pathogenesis of miliaria: role of [Loewenthal], *2

Spectrum analysis
actinic degeneration: study of factors influencing [Cockerell et al.], *467

Spiradenoma: See Adenoma, sweat glands

Steatocystoma multiplex
with pachyonychia congenita [Vineyard & Scott], *824

Steroids
herpes simplex, recurrent, and steroid dosage [Stroud], *396
synergism of salicylates and [Butterworth & Strean], *964

Sunlight: See also Ultraviolet rays
exposure to: changes after prolonged [Cockerell et al.], *467
protection from, in vitiligo [Everett], *997

Suture clips
dermatologic [Brown], 663

Sweat glands
chondroid syringoma: mixed tumor of skin, salivary gland type [Hirsch & Helwig], *835
eccrine, of patients in uremia [Cawley et al.], *889
eccrine spiradenoma: contribution to [Ziprkowski & Krakowski], *792
eccrine spiradenoma: pharmacologic study [Berghorn et al.], *434
pathogenesis of miliaria: role of sodium chloride [Loewenthal], *2
porokeratosis: disease of epidermal eccrine-sweat-units [Saunders], *980

Sweating
bromhidrosis [Cornbleet & Bernstein], 861
hyperhidrosis, localized [Bluefarb & Wallk], 861

Sycosis
vulgaris—lupoid type [Matz], 1056

Syphilis
macular atrophy (Syphioitic) [Felsher & Goldblatt], 858
pseudosyphilis papulosa [Jansen & Groothuis], *639
secondary [Jenkins & Narva], 695
serologic studies, long-term, with treponemal procedures [Kostant et al.], *310
terminology of: historical approach to [Hudson], *545

Syringoma, chondroid
mixed tumor of skin, salivary gland type [Hirsch & Helwig], *835

T

Tattoos
reaction [Szmanski & Baily], 340
viral disease in: verruca vulgaris [Watkins], *306

Teeth: See Dentistry

Telangiectasia
ataxia—[Fitzpatrick], 1051
hereditary hemorrhagic [Cipollaro], 149

Tetracycline
derivative: nature and incidence of photosensitivity reactions to demethylchlortetracycline [Cahn et al.], *485

Tinea: See Ringworm

Toes
interdigitalis psoriasis [Waisman], *733

Toxicity
amodiaquine (Camoquin): unusual toxic reaction to [Schloeder], *601

Transferases
inhibitors: monoamine oxidase and catechol O-methyl [DeOreo & Stoughton], *972

Treponema pallidum
preserving, for demonstration purposes: simple and rapid method for [Cohen], 672

Treponemal infection
long-term serologic studies with, procedures [Kostant et al.], *310

Triacetyloleandomycin
granuloma inguinale treatment with [Kerdel-Vegas et al.], *248

Triamcinolone acetonide
in treatment of oral membrane lesions using adhesive powder vehicle [Kutscher & Silvers], 1035

Trichoepithelioma
case for diagnosis [Watson], 525

Tryptophan
metabolism derangements: clinical significance [Fleischmajer & Hyman], *563

Tuberculosis
cutaneous: atypical [Getzler et al.], *439
pulmonary: erythema nodosum and, in two sisters [Heldeman & Skolnick], *402
pulmonary: pemphigus erythematosus with [DeFeo], 877
sarcoidosis-, relationship: case report [Kirschenbaum], *109

Tuberous sclerosis: See Sclerosis, tuberous

Tumors
cutaneous,- pigmented nevus and malignant melanoma [Orkin & Schwartzman], *227
mixed, of skin: eccrine and apocrine types [Headington], *989
nevoid, of skin: histogenesis of (correspondence) [Kligman], 512
syringoma, chondroid: mixed tumor of skin, salivary gland type [Hirsch & Helwig], *835

Two-possibility counting study: See Counting study

U

Ultraviolet rays
coal tar and ultraviolet light [Everett & Miller], *937
coal tar and ultraviolet light [Everett et al.], *473
induced biochemical alterations in skin: urocanic acid [Everett et al.], *717
plastic materials for ultraviolet protection [Daniels], *392

Uremia
eccrine sweat glands of patients in [Cawley et al.], *889

Urine: See also Hemoglobinuria
2, 5 dihydroxyphenylpyruvic acid in human: preliminary identification [Yee et al.], *293

Urocanic acid: See Acid, urocanic

Urticaria
cholinergic [Grauer & Pinski], 346
chronic, and arthralgia: progressive lipodystrophy [Nelson], 882
dermographism and, with Mediterranean fever [Baumal & Kantor], *630
localized, due to Enterobius vermicularis [Clark], 1026
pigmentosa [Griesemer], 1054
pigmentosa: solitary mastocytosis [Johnson & Helwig], *806
pigmentosa treated with reserpine [Griesemer], 1054

Utah
inheritance of psoriasis in, kindred [Ward & Stephens], *589

V

Vascular diseases, peripheral
diffuse malignant proliferation of vascular endothelium [Braverman & Lerner], *22

Verruca: See Papilloma

Virus diseases
cytomegalic inclusion disease, generalized: dermatologic aspects [Brodkin et al.], *650
verruca vulgaris: viral disease in tattoos [Watkins], *306

Vitamin
A therapy: keratosis follicularis case presented for results of [Urbach & Whyte], 691
B_6: pyridoxine in treatment of herpes gestationis [Fosnaugh et al.], *90

Vitiligo
leukoderma acquisitum centrifugum (halo nevus) [Graham et al.], 689
protection from sunlight in [Everett], *997

Vitiligo—continued
with Koebner phenomenon: lichen striatus [Falk et al.], 859

Von Recklinghausen's disease: See Osteitis fibrosa

Vulvae
kraurosis: lichen sclerosus et atrophicus and (correspondence) [George], 513

W

Warts: See Papillomas

Weber-Christian disease: See under Panniculitis

White's disease: See Keratosis follicularis

X

Xanthoma
disseminatum [Rosenbaum & Strickland], 334
tendinosum [Stritzler], 334

Xanthomatosis: See Lipoidosis

Xeroderma pigmentosum
keratoacanthoma in [Stevanovic], *53